

Federal Communications Commission Washington, D.C. 20554	Approved by OMB 3060-0405 (October 2009)	FOR FCC USE ONLY
FCC 349		
APPLICATION FOR AUTHORITY TO CONSTRUCT OR MAKE CHANGES IN AN FM TRANSLATOR OR FM BOOSTER STATION		FOR COMMISSION USE ONLY FILE NO. - 20030314BGL
Read INSTRUCTIONS Before Filling Out Form		

Section I - General Information

1.	Legal Name of the Applicant STATE UNIVERSITY OF NEW YORK												
	Mailing Address STATE UNIVERSITY PLAZA ATTN: OFFICE OF GENERAL COUNSEL												
	City ALBANY	State or Country (if foreign address) NY	ZIP Code 12246 -										
	Telephone Number (include area code) 5183201400		E-Mail Address (if available)										
	FCC Registration Number: 0008247116	Call Sign NEW	Facility Identifier 143586										
2.	Contact Representative (if other than Applicant) LISA S. CAMPO		Firm or Company Name STATE UNIVERSITY OF NEW YORK										
	Mailing Address STATE UNIVERSITY PLAZA S-325												
	City ALBANY	State or Country (if foreign address) NY	ZIP Code 12246 -										
	Telephone Number (include area code) 5183201400		E-Mail Address (if available) LISA.CAMPO@SUNY.EDU										
3.	If this application has been submitted without a fee, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114): <input checked="" type="radio"/> Governmental Entity <input type="radio"/> Noncommercial Educational Licensee/Permittee <input type="radio"/> Other <input type="radio"/> N/A (Fee Required)												
4.	Facility information: a. <input checked="" type="radio"/> FM Translator <input type="radio"/> FM Booster b. Community or communities to which the proposed facility will be licensed: <table border="1" style="width: 100%;"><thead><tr><th>Community(ies)</th><th>State</th></tr></thead><tbody><tr><td>STONY BROOK</td><td>NY</td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></tbody></table>			Community(ies)	State	STONY BROOK	NY						
Community(ies)	State												
STONY BROOK	NY												
5.	Application Purpose <input type="radio"/> New station <input type="radio"/> Major Modification of construction permit <input type="radio"/> Major Change in licensed facility <input type="radio"/> Minor Modification of construction permit <input type="radio"/> Minor Change in licensed facility <input type="radio"/> Major Amendment to pending application <input checked="" type="radio"/> Minor Amendment to pending application a. File number of original construction permit: - If an amendment, submit as an Exhibit a listing by Section and Question Number the portions of the pending application that are being revised. [Exhibit 1]												

NOTE: In addition to the information called for in this section, an explanatory exhibit providing full particulars must be submitted for each question for which a "No" response is provided. See General Instruction J.

Section II - Legal

1.	Certification. Applicant certifies that it has answered each question in this application based on its review of the application instructions and worksheets. Applicant further certifies that where it has made an affirmative certification below, this certification constitutes its representation that the application satisfies each of the pertinent standards and criteria set forth in the application instructions and worksheets.	<input checked="" type="radio"/> Yes <input type="radio"/> No
2.	Applicant is: <input type="radio"/> an individual <input type="radio"/> a general partnership <input type="radio"/> a for-profit corporation <input type="radio"/> a limited partnership <input type="radio"/> a not-for-profit corporation <input type="radio"/> a limited liability company (LLC/LC) <input checked="" type="radio"/> other a. If "other", describe nature of applicant in an Exhibit. [Exhibit 2]	
3.	a. Applicant certifies that it is not the licensee or permittee of the commercial primary station being rebroadcast and that neither it nor any parties to the application have any interest in or connection with the commercial primary station being rebroadcast. See 47 C.F.R. Section 74.1232(d). b. Applicant certifies that the FM translator's (a) coverage contour does not extend beyond the protected contour of the commercial FM primary station to be rebroadcast, or (b) entire 60 dBu contour is contained within the lesser of: (i) the 2 mV/m daytime contour of the AM primary station to be rebroadcast, or (ii) a 25-mile radius centered at the AM primary station's transmitter site.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 3] <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 4]
<p>NOTE: If No to a. and b., and no waiver has been requested in an Exhibit, this application is unacceptable for filing. See 47 C.F.R. Section 74.1232(d).</p> <p>If Yes to (a) and No to (b) applicant is prohibited from receiving any support, before or after construction, either directly or indirectly from the commercial primary station being rebroadcast or from any person or entity having any interest whatsoever, or any connection with the primary FM station. Interested and connected parties include group owners, corporate parents, shareholders, officers, directors, employees, general and limited partners, family members and business associates. See 47 C.F.R. Section 74.1232(e).</p>		
4.	The applicant, if for a commercial FM translator station with a coverage contour extending beyond the protected contour of the commercial primary station being rebroadcast, certifies that it has not received any support, before or after constructing, directly or indirectly, from the licensee/permittee of the primary station or any person with an interest in or connection with the licensee or permittee of the primary station, except for technical assistance as provided for under 47 C.F.R. Section 74.1232(e).	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 5]
5.	For applicants proposing translator rebroadcasts that are not the licensee of the primary station, the applicant certifies that written authority has been obtained from the licensee of the station whose programs are to be retransmitted. If No, this application is unacceptable for filing.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
6.	Character Issues. Applicant certifies that neither applicant nor any party to the application has or has had any interest in or connection with: a. any broadcast application in any proceeding where character issues were left unresolved or were resolved adversely against the applicant or party to the application; or b. any pending broadcast application in which character issues have been raised.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 6]

7.	Adverse Findings. Applicant certifies that, with respect to the applicant, any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination. If the answer is "No," attach as an Exhibit a full disclosure concerning the persons and matters involved, including an identification of the court or administrative body and the proceeding (by dates and file numbers), and a description of the disposition of the matter. Where the requisite information has been earlier disclosed in connection with another application or as required by 47 C.F.R. Section 1.65, the applicant need only provide: (i) an identification of that previous submission by reference to the file number in the case of an application, the call letters of the station regarding which the application or Section 1.65 information was filed, and date of filing; and (ii) the disposition of the previously reported matter.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 7]
8.	Alien Ownership and Control. Applicant certifies that it complies with the provisions of Section 310 of the Communications Act of 1934, as amended, relating to interests of aliens and foreign governments.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 8]
9.	Program Service Certification. Applicant certifies that it is cognizant of and will comply with its obligations as a Commission licensee to present a program service responsive to the issues of public concern facing the station's community of license and service area.	<input checked="" type="radio"/> Yes <input type="radio"/> No
10.	Local Public Notice. Applicant certifies compliance with the public notice requirements of 47 C.F.R. Section 73.3580.	<input checked="" type="radio"/> Yes <input type="radio"/> No
11.	Auction Authorization. If the application is being submitted to obtain a construction permit for which the applicant was the winning bidder in an auction, then the applicant certifies, pursuant to 47 C.F.R. Section 73.5005(a), that it has attached an exhibit containing the information required by 47 C.F.R. Sections 1.2107(d), 1.2110(i), 1.2112(a) and 1.2112(b), if applicable. An exhibit is required unless this question is inapplicable.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 9]
12.	Anti-Drug Abuse Act Certification. Applicant certifies that neither applicant nor any party to the application is subject to denial of federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862.	<input checked="" type="radio"/> Yes <input type="radio"/> No
13.	Equal Employment Opportunity (EEO). If the applicant proposes to employ five or more full-time employees, applicant certifies that it is filing simultaneously with this application a Model EEO Program Report on FCC Form 396-A.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

Typed or Printed Name of Person Signing WILLIAM F. HOWARD	Typed or Printed Title of Person Signing SR. VICE CHANCELLOR, GENERAL COUNSEL & SECRETARY TO THE UNIV
Signature	Date 7/19/2013

SECTION III - PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name KATE ENGLISH	Relationship to Applicant (e.g., Consulting Engineer) TECHNICAL CONSULTANT	
Signature	Date 7/12/2013	
Mailing Address DOUG VERNIER TELECOMMUNICATIONS CONSULTANTS 401 MAIN ST., SUITE 213		
City CEDAR FALLS	State or Country (if foreign address) IA	Zip Code 50613 -
Telephone Number (include area code) 3192668402	E-Mail Address (if available) KENGLISH@V-SOFT.COM	

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

Section III-A - Engineering**TECHNICAL SPECIFICATIONS**

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1.	Channel: 297		
2.	Primary Station:		
	Facility ID Number	Call Sign	City
	63110	WUSB	STONY BROOK
3.	Delivery Method (Select One): <input checked="" type="radio"/> Off-air <input type="radio"/> Microwave <input type="radio"/> Satellite <input type="radio"/> Via <input type="radio"/> Other		
4.	Antenna Location Coordinates: (NAD 27)		
	Latitude:		
	Degrees 40 Minutes 54 Seconds 17.6 <input checked="" type="radio"/> North <input type="radio"/> South		
	Longitude:		
	Degrees 73 Minutes 6 Seconds 48.6 <input checked="" type="radio"/> West <input type="radio"/> East		
5.	Antenna Structure Registration Number: 1023062 <input type="checkbox"/> Not Applicable <input type="checkbox"/> Notification filed with FAA		
6.	Antenna Location Site Elevation Above Mean Sea Level:		70 meters
7.	Overall Tower Height Above Ground Level:		104 meters
8.	Height of Radiation Center Above Ground Level:		104 meters(H) 104 meters(V)
9.	Effective Radiated Power:		0.006 kW(H) 0.006 kW(V)
10.	Transmitting Antenna:		
	Before selecting Directional "Off-the-Shelf", refer to "Search for Antenna Information" under CDBS Public Access (http://licensing.fcc.gov/prod/cdbs/pubacc/prod/cdbs_pa.htm). Make sure that the Standard Pattern is marked Yes and that the relative field values shown match your values. Enter the Manufacturer (Make) and Model exactly as displayed in the Antenna Search.		
	<input checked="" type="radio"/> Nondirectional <input type="radio"/> Directional Off-the Shelf <input type="radio"/> Directional composite		
	Manufacturer SHI Model 6812-1		
	Rotation:degrees <input type="checkbox"/> No Rotation		

Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value
0		10		20		30		40		50	
60		70		80		90		100		110	
120		130		140		150		160		170	
180		190		200		210		220		230	
240		250		260		270		280		290	
300		310		320		330		340		350	
Additional Azimuths											

[Relative Field Polar Plot](#)

<p>11. For FM Boosters and Fill-in translators only.</p> <p>a. FM Fill-in translators. Applicant certifies that the FM translator's (a) coverage contour does not extend beyond the protected contour of the commercial FM primary station to be rebroadcast, or (b) entire 60 dBu contour is contained within the lesser of: (i) the 2 mV/m daytime contour of the AM primary station to be rebroadcast, or (ii) a 25-mile radius centered at the AM primary station's transmitter site.</p> <p>b. FM Boosters. Applicant certifies that the FM Booster station's service contour is entirely within the primary station's protected coverage contour.</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p> <p>See Explanation in [Exhibit 10]</p> <p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p> <p>See Explanation in [Exhibit 11]</p>
<p>12. Interference. The proposed facility complies with all of the following applicable rule sections. Check all that apply:</p> <p>Overlap Requirements. <input type="checkbox"/> a) 47 C.F.R. Section 74.1204</p> <p>Exhibit Required.</p> <p>Television Channel 6 Protection. <input type="checkbox"/> b) 47 C.F.R. Section 74.1205 with respect to station(s)</p> <p>Exhibit Required.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 12]</p> <p>[Exhibit 13]</p> <p>[Exhibit 14]</p>
<p>13. Unattended operation. Applicant certifies that unattended operation is not proposed, or if this application proposes unattended operation, the applicant certifies that it will comply with the requirements of 47 C.F.R. Section 74.1234.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 15]</p>
<p>14. Multiple Translators. Applicant certifies that it does not have any interest in an application or an authorization for an FM translator station that serves substantially the same area and rebroadcasts the same signal as the proposed FM translator station.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 16]</p>
<p>15. Environmental Protection Act. Applicant certifies that the proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., the facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments). Unless the applicant can determine compliance through the use of the RF worksheets in Appendix A, an Exhibit is required.</p> <p>By checking "Yes" above, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 17]</p>

PREPARER'S CERTIFICATION ON PAGE 4 MUST BE COMPLETED AND SIGNED.

Section IV -- Noncommercial Educational Point System Factors - -New and Major Change Applications on Reserved Channels Only (used to select among mutually exclusive applications for new stations and major modifications) **NOTE:** Applicants will not received any additional points for amendments made after the close of the application filing window.

Preliminary Matter: Does this application provide fill-in service only?	<input type="radio"/> Yes <input type="radio"/> No
1. Established Local Applicant: Applicant certifies that for at least the 24 months immediately prior to application, and continuing through the present, it qualifies as a local applicant pursuant to 47 C.F.R. Section 73.7000, that its governing documents require that such localism be maintained, and that it has placed documentation of its qualifications as an established local applicant in a local public inspection file and has submitted to the Commission copies of the documentation.	<input type="radio"/> Yes <input type="radio"/> No
2. Diversity of Ownership: Applicant certifies that the principal community (city grade) contour of the proposed station does not overlap the principal community contour of any other authorized radio station (including AM, FM, and non-fill-in FM translator stations, commercial or noncommercial) in which any party to the application has an attributable interest as defined in 47 C.F.R. Section 73.3555, that its governing documents require that such diversity qualification in a local public inspection file and has submitted to the Commission copies of the documentation.	<input type="radio"/> Yes <input type="radio"/> No
3. State-wide Network: Applicant certifies that (a) it has NOT claimed a credit for diversity of ownership above; (b) it is one of the three specific types of organizations described in 47 C.F.R. Section 73.7003(b)(3); and (c) it has placed documentation of its qualifications in a local public inspection file and has submitted to the Commission copies of the documentation.	<input type="radio"/> Yes <input type="radio"/> No
4. Technical Parameters: Applicant certifies that the numbers in the boxes below accurately reflect the new (increased) area and population that its proposal would serve with a 60 dBu signal measured in accordance with the standard predicted contours in 47 C.F.R. Section 73.713(c) and that it has documented the basis for its calculations in the local public inspection file and has submitted copies to the Commission. Major modification applicants should include the area of proposed increase only (exclude the station's existing service area). (Points, if any, will be determined by FCC)	<input type="radio"/> Yes <input type="radio"/> No
New (increased) area served in square kilometers (excluding areas of water):	
Population served based on the most recent census block data from the United States Bureau of Census using the centroid method:	
Tie Breakers	
5. Existing Authorizations. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of relevant broadcast stations. FM translator applicants should count all attributable full service radio stations, AM and FM, commercial and noncommercial and FM translator stations other than fill-in stations. (number of attributable commercial and non-commercial licenses and construction permits) b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of FM translators.	
6. Pending Applications. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, pending applications for new or major changes to the following number of relevant broadcast stations, AM and FM, commercial and non-commercial and FM translator stations other than fill-in stations. (number of attributable commercial and non-commercial applications) b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of	

the date of filing, existing authorizations for the following number of FM translators.

Section VI -- Certification

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

Typed or Printed Name of Person Signing WILLIAM F. HOWARD	Typed or Printed Title of Person Signing SR. VICE CHANCELLOR, GENERAL COUNSEL & SECRETARY TO THE UNIV
Signature	Date 7/19/2013

Exhibits

Exhibit 1

Description: SECTIONS TO BE AMENDED

THE APPLICATION BEING AMENDED, BNPFT-20030314BGL, HAS BEEN ASSIGNED TO MX GROUP 371 IN DA 13-1170. THE APPLICANT, STATE UNIVERSITY OF NEW YORK (SUNY) PROPOSES TO AMEND SECTION III-A, ENGINEERING, QUESTIONS 1 AND 9. THE CHANNEL WILL BE CHANGED TO 297 AND THE ERP REDUCED TO 0.006 KW. THESE CHANGES WILL ELIMINATE THE PROHIBITED OVERLAP WITH MUTUALLY EXCLUSIVE APPLICATION BNPFT-20030313AAV, HAUPPAUGE, NY, LEAVING BOTH PROPOSALS SINGLETON APPLICATIONS. IT WILL ALSO ELIMINATE PROHIBITED OVERLAP WITH STATION WLIR-FM. NO OTHER CHANGES ARE BEING PROPOSED AT THIS TIME.

THE PROPOSED TRANSMITTER LOCATION IN IN SUFFOLK COUNTY, NY, WHICH IS PART OF THE NEW YORK RADIO MARKET (#1). THIS IS A SPECTRUM LIMITED MARKET. THE SITE IS OUTSIDE THE GRID AND BUFFER, BUT IN THE BOUNDARIES OF THE MARKET. THE TOP-50 MARKET TEST (OUT OF GRID) SHOWS THAT THERE ARE ZERO LPFM CHANNELS AVAILABLE FROM THE PROPOSED TRANSMITTER LOCATION. SEE ATTACHMENT A.

THE SITE IS ALSO WITHIN THE BUFFER OF THE NEW HAVEN (#116) AND DANBURY (#203). THESE ARE ALSO SPECTRUM LIMITED MARKETS. PLEASE SEE ATTACHMENTS B AND C. THE PROPOSED TRANSMITTER LOCATION IS NOT WITHIN THE 73.807 MINIMUM SPACING DISTANCE FROM ANY SACRED POINT ON A CO OR 1ST ADJACENT CHANNEL.

ATTACHMENT D IS A STATEMENT OF THE QUALIFICATIONS OF THE PREPARER.

Attachment 1

Description
Exhibit #1, LPFM Non-Preclusion Study - Attachment A
Exhibit #1, LPFM Non-Preclusion Study - Attachment B - New Haven
Exhibit #1, LPFM Non-Preclusion Study - Attachment C - Danbury
Exhibit #1, Attachment D

Exhibit 2

Description: NATURE OF APPLICANT

THE APPLICANT IS A PUBLIC, STATE INSTITUTION OF HIGHER EDUCATION AND QUALIFIES AS A GOVERNMENTAL ENTITY.

Attachment 2

Attachment 12

Exhibit 17**Description:** ENVIRONMENTAL PROTECTION ACT

THE APPLICANT PROPOSES THE USE OF AN EXISTING REGISTERED TOWER, ASR #1023062, BUILT IN 2006. ON ITS APPLICATION FOR ANTENNA STRUCTURE REGISTRATION, THE TOWER OWNER INDICATED THAT THERE WERE NO ENVIRONMENTAL ISSUES WITH THIS TOWER. IT IS ASSUMED THAT THIS STATEMENT IS TRUE.

THE PROPOSED ERP IS LESS THAN 100 WATTS, THEREFORE THIS TRANSLATOR IS CATEGORICALLY EXCLUDED FROM ENVIRONMENTAL EVALUATION.

Attachment 17

Stony Brook LPFM Preclusion Study
State University Of New York

REFERENCE	Class L1 Preclusions	DISPLAY DATES
40 54 17.6 N.	Current Spacings to 1st Adj.	DATA 07-12-13
73 06 48.6 W.		SEARCH 07-12-13

Call	Channel	Location	Azi	Dist	FCC	Margin

--- Channel 201 88.1 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	140.0	-89.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	140.0	-89.3
WXBA	LIC 201A	Brentwood	NY 218.9	18.99	66.5	-47.5
WMNR	LIC-D 201B1	Monroe	CT 345.7	47.50	86.5	-39.0
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	98.0	-25.5
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	98.0	-25.5
WCWP	LIC 201A	Brookville	NY 256.6	41.81	66.5	-24.7
WPPB	LIC 202B1	Southampton	NY 91.7	56.18	73.5	-17.3
--- Channel 202 88.3 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	138.0	-87.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	138.0	-87.3
WXBA	LIC 201A	Brentwood	NY 218.9	18.99	55.5	-36.5
WPPB	LIC 202B1	Southampton	NY 91.7	56.18	86.5	-30.3
WMNR	LIC-D 201B1	Monroe	CT 345.7	47.50	73.5	-26.0
WVOF	LIC 203A	Fairfield	CT 336.6	30.78	55.5	-24.7
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	97.0	-24.5
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	97.0	-24.5
WPOB	LIC-D 203A	Plainview	NY 247.8	31.69	55.5	-23.8
WKWZ	LIC-D 203A	Syosset	NY 247.8	31.69	55.5	-23.8
WEDW-FM	LIC-D 203A	Stamford	CT 294.6	38.10	55.5	-17.4
WCWP	LIC 201A	Brookville	NY 256.6	41.81	55.5	-13.7
WBGO	LIC-D 202B1	Newark	NJ 257.6	75.29	86.5	-11.2
--- Channel 203 88.5 MHz. ---						
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	137.0	-86.3
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	137.0	-86.3
WVOF	LIC 203A	Fairfield	CT 336.6	30.78	66.5	-35.7
WPOB	LIC-D 203A	Plainview	NY 247.8	31.69	66.5	-34.8
WKWZ	LIC-D 203A	Syosset	NY 247.8	31.69	66.5	-34.8
WEDW-FM	LIC-D 203A	Stamford	CT 294.6	38.10	66.5	-28.4
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	95.0	-22.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	95.0	-22.5
WPPB	LIC 202B1	Southampton	NY 91.7	56.18	73.5	-17.3
WNHU	LIC 204A	West Haven	CT 16.5	44.82	55.5	-10.7
WRHU	LIC 204A	Hempstead	NY 243.3	46.18	55.5	-9.3
WANR	CP -D 203A	Brewster	NY 326.8	63.82	66.5	-2.7
--- Channel 204 88.7 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	136.0	-85.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	136.0	-85.3
WFRS	LIC-D 205A	Smithtown	NY 207.3	12.18	55.5	-43.3
WVOF	LIC 203A	Fairfield	CT 336.6	30.78	55.5	-24.7
WKWZ	LIC-D 203A	Syosset	NY 247.8	31.69	55.5	-23.8
WPOB	LIC-D 203A	Plainview	NY 247.8	31.69	55.5	-23.8
WNHU	LIC 204A	West Haven	CT 16.5	44.82	66.5	-21.7
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	94.0	-21.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	94.0	-21.5
WRHU	LIC 204A	Hempstead	NY 243.3	46.18	66.5	-20.3
WEDW-FM	LIC-D 203A	Stamford	CT 294.6	38.10	55.5	-17.4
--- Channel 205 88.9 MHz. ---						
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	135.0	-84.3
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	135.0	-84.3

Call	Channel	Location		Azi	Dist	FCC	Margin
<hr/>							
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	93.0	-20.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	93.0	-20.5
WEEW	CP -D 206A	Westhampton	NY	93.4	35.43	55.5	-20.1
WNHU	LIC 204A	West Haven	CT	16.5	44.82	55.5	-10.7
WRHU	LIC 204A	Hempstead	NY	243.3	46.18	55.5	-9.3
WNYU-FM	LIC-D 206B1	New York	NY	265.8	67.44	73.5	-6.1
WWES	LIC-D 205A	Mount Kisco	NY	306.6	62.50	66.5	-4.0
<hr/>							
--- Channel 206 89.1 MHz. ---							
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WFRS	LIC-D 205A	Smithtown	NY	207.3	12.18	55.5	-43.3
U	VAC 206B	New York	NY	256.8	73.97	111.5	-37.5
WEEW	CP -D 206A	Westhampton	NY	93.4	35.43	66.5	-31.1
WGSS	LIC-D 207A	Copiague	NY	222.8	33.61	55.5	-21.9
WNYU-FM	LIC-D 206B1	New York	NY	265.8	67.44	86.5	-19.1
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	91.0	-18.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	91.0	-18.5
<hr/>							
--- Channel 207 89.3 MHz. ---							
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WPKN	LIC-D 208B	Bridgeport	CT	351.8	42.01	96.5	-54.5
WGSS	LIC-D 207A	Copiague	NY	222.8	33.61	66.5	-32.9
U	VAC 206B	New York	NY	256.8	73.97	96.5	-22.5
WEEW	CP -D 206A	Westhampton	NY	93.4	35.43	55.5	-20.1
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	91.0	-18.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	91.0	-18.5
WNYU-FM	LIC-D 206B1	New York	NY	265.8	67.44	73.5	-6.1
<hr/>							
--- Channel 208 89.5 MHz. ---							
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WPKN	LIC-D 208B	Bridgeport	CT	351.8	42.01	111.5	-69.5
WGSS	LIC-D 207A	Copiague	NY	222.8	33.61	55.5	-21.9
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	91.0	-18.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	91.0	-18.5
<hr/>							
--- Channel 209 89.7 MHz. ---							
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WPKN	LIC-D 208B	Bridgeport	CT	351.8	42.01	96.5	-54.5
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	91.0	-18.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	91.0	-18.5
R12015	DEL 210B1	Noyack	NY	69.7	66.55	73.5	-7.0
WSUF	LIC-D 210B1	Noyack	NY	69.7	66.55	73.5	-7.0
<hr/>							
--- Channel 210 89.9 MHz. ---							
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WUSB	LIC-D 211B1	Stony Brook	NY	138.3	9.32	73.5	-64.2
R12015	DEL 210B1	Noyack	NY	69.7	66.55	86.5	-20.0
WSUF	LIC-D 210B1	Noyack	NY	69.7	66.55	86.5	-20.0
WNYZ-LP	CPM-D 06 T	New York	NY	256.2	72.02	91.0	-18.5
WNYZ-LP	LI -D 06-T	New York	NY	256.2	72.02	91.0	-18.5
WKCR-FM	LIC 210B1	New York	NY	257.6	75.29	86.5	-11.2
WRXC	LIC 211A	Shelton	CT	0.0	50.81	55.5	-4.7
<hr/>							
--- Channel 211 90.1 MHz. ---							
WEDY	CPM 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WEDY	LI 06 1E	New Haven	CT	20.1	50.15	133.0	-82.3
WUSB	LIC-D 211B1	Stony Brook	NY	138.3	9.32	86.5	-77.2

Call	Channel	Location	Azi	Dist	FCC	Margin
WHPC	LIC 212A	Garden City	NY 244.4	44.76	55.5	-10.7
WSUF	LIC-D 210B1	Noyack	NY 69.7	66.55	73.5	-7.0
R12015	DEL 210B1	Noyack	NY 69.7	66.55	73.5	-7.0
WJZZ	LIC-D 211A	North Salem	NY 324.1	65.88	66.5	-0.6
--- Channel 212 90.3 MHz. ---						
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WUSB	LIC-D 211B1	Stony Brook	NY 138.3	9.32	73.5	-64.2
WWPT	LIC 212A	Westport	CT 328.8	34.74	66.5	-31.8
WHPC	LIC 212A	Garden City	NY 244.4	44.76	66.5	-21.7
WNPR	LIC-D 213B	Meriden	CT 17.0	76.40	96.5	-20.1
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	90.0	-17.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	90.0	-17.5
WRXC	LIC 211A	Shelton	CT 0.0	50.81	55.5	-4.7
WDFH	LIC-D 212A	Ossining	NY 296.2	62.74	66.5	-3.8
WDFH	CP -D 212A	Ossining	NY 296.2	62.74	66.5	-3.8
--- Channel 213 90.5 MHz. ---						
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WNPR	LIC-D 213B	Meriden	CT 17.0	76.40	111.5	-35.1
WFUV	LIC-D 214B	New York	NY 267.8	64.29	96.5	-32.2
WWPT	LIC 212A	Westport	CT 328.8	34.74	55.5	-20.8
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	90.0	-17.5
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	90.0	-17.5
WHPC	LIC 212A	Garden City	NY 244.4	44.76	55.5	-10.7
--- Channel 214 90.7 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	132.0	-81.3
WFUV	LIC-D 214B	New York	NY 267.8	64.29	111.5	-47.2
WNPR	LIC-D 213B	Meriden	CT 17.0	76.40	96.5	-20.1
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	90.0	-17.5
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	90.0	-17.5
--- Channel 215 90.9 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WSHU-FM	LIC-D 216B	Fairfield	CT 351.7	42.05	96.5	-54.5
WFUV	LIC-D 214B	New York	NY 267.8	64.29	96.5	-32.2
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	90.0	-17.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	90.0	-17.5
--- Channel 216 91.1 MHz. ---						
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WSHU-FM	LIC-D 216B	Fairfield	CT 351.7	42.05	111.5	-69.5
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	89.0	-16.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	89.0	-16.5
WRLI-FM	LIC-D 217B1	Southampton	NY 86.6	61.08	73.5	-12.4
W217AF	LIC-D 217D	Huntington Station	NY 237.6	25.38	27.5	-2.1
--- Channel 217 91.3 MHz. ---						
WEDY	CPM 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WEDY	LI 06 1E	New Haven	CT 20.1	50.15	131.0	-80.3
WSHU-FM	LIC-D 216B	Fairfield	CT 351.7	42.05	96.5	-54.5
WRLI-FM	LIC-D 217B1	Southampton	NY 86.6	61.08	86.5	-25.4
WNYZ-LP	LI -D 06-T	New York	NY 256.2	72.02	89.0	-16.5
WNYZ-LP	CPM-D 06 T	New York	NY 256.2	72.02	89.0	-16.5
W217AF	LIC-D 217D	Huntington Station	NY 237.6	25.38	38.5	-13.1

Call	Channel	Location	Azi	Dist	FCC	Margin
<hr/>						
WEDY	CPM 06 1E	New Haven CT	20.1	50.15	131.0	-80.3
WEGQ	LIC-D 219A	Quogue NY	93.4	35.42	55.5	-20.1
WNYZ-LP	CPM-D 06 T	New York NY	256.2	72.02	89.0	-16.5
WNYZ-LP	LI -D 06-T	New York NY	256.2	72.02	89.0	-16.5
WRLI-FM	LIC-D 217B1	Southampton NY	86.6	61.08	73.5	-12.4
WNYE	LIC 218B1	New York NY	257.6	75.29	86.5	-11.2
WGRS	LIC 218A	Guilford CT	41.6	57.19	66.5	-9.3
W217AF	LIC-D 217D	Huntington Station NY	237.6	25.38	27.5	-2.1
<hr/>						
--- Channel 219 91.7 MHz. ---						
WEDY	CPM 06 1E	New Haven CT	20.1	50.15	130.0	-79.3
WEDY	LI 06 1E	New Haven CT	20.1	50.15	130.0	-79.3
WSHR	LIC-N 220A	Lake Ronkonkoma NY	171.4	7.73	55.5	-47.8
WEGQ	LIC-D 219A	Quogue NY	93.4	35.42	66.5	-31.1
WNYZ-LP	CPM-D 06 T	New York NY	256.2	72.02	89.0	-16.5
WNYZ-LP	LI -D 06-T	New York NY	256.2	72.02	89.0	-16.5
W219BA	LIC-D 219D	Ridge NY	100.8	29.40	38.5	-9.1
WXCI	LIC-D 219A	Danbury CT	330.3	62.83	66.5	-3.7
<hr/>						
--- Channel 220 91.9 MHz. ---						
WEDY	CPM 06 1E	New Haven CT	20.1	50.15	130.0	-79.3
WEDY	LI 06 1E	New Haven CT	20.1	50.15	130.0	-79.3
WSHR	LIC-N 220A	Lake Ronkonkoma NY	171.4	7.73	66.5	-58.8
WEGQ	LIC-D 219A	Quogue NY	93.4	35.42	55.5	-20.1
WNYZ-LP	CPM-D 06 T	New York NY	256.2	72.02	89.0	-16.5
WNYZ-LP	LI -D 06-T	New York NY	256.2	72.02	89.0	-16.5
<hr/>						
--- Channel 221 92.1 MHz. ---						
WSHR	LIC-N 220A	Lake Ronkonkoma NY	171.4	7.73	55.5	-47.8
WNOW-FM	LIC 222B	New York NY	256.9	75.44	96.5	-21.1
WLNG	LIC 221A	Sag Harbor NY	83.1	64.69	66.5	-1.8
<hr/>						
--- Channel 222 92.3 MHz. ---						
WNOW-FM	LIC 222B	New York NY	256.9	75.44	111.5	-36.1
WWYZ	LIC 223B	Waterbury CT	17.0	76.54	96.5	-20.0
<hr/>						
--- Channel 223 92.5 MHz. ---						
WWYZ	LIC 223B	Waterbury CT	17.0	76.54	111.5	-35.0
WNOW-FM	LIC 222B	New York NY	256.9	75.44	96.5	-21.1
WQBU-FM	LIC-Z 224A	Garden City NY	252.2	53.15	55.5	-2.4
<hr/>						
--- Channel 224 92.7 MHz. ---						
WEHM	LIC-Z 225A	Manorville NY	100.8	29.42	55.5	-26.1
WWYZ	LIC 223B	Waterbury CT	17.0	76.54	96.5	-20.0
WQBU-FM	LIC-Z 224A	Garden City NY	252.2	53.15	66.5	-13.4
<hr/>						
--- Channel 225 92.9 MHz. ---						
WEHM	LIC-Z 225A	Manorville NY	100.8	29.42	66.5	-37.1
WPAT-FM	APP-N 226B	Paterson NJ	256.9	75.44	96.5	-21.1
WPAT-FM	LIC 226B	Paterson NJ	254.5	78.72	96.5	-17.8
WQBU-FM	LIC-Z 224A	Garden City NY	252.2	53.15	55.5	-2.4
<hr/>						
--- Channel 226 93.1 MHz. ---						
WPAT-FM	APP-N 226B	Paterson NJ	256.9	75.44	111.5	-36.1
WPAT-FM	LIC 226B	Paterson NJ	254.5	78.72	111.5	-32.8
WEHM	LIC-Z 225A	Manorville NY	100.8	29.42	55.5	-26.1
1547005	APP 227D	Coram NY	133.5	10.10	14.5	-4.4
<hr/>						
--- Channel 227 93.3 MHz. ---						
WPAT-FM	APP-N 226B	Paterson NJ	256.9	75.44	96.5	-21.1

Call	Channel		Location		Azi	Dist	FCC	Margin
WPAT-FM	LIC	226B	Paterson	NJ	254.5	78.72	96.5	-17.8
1547005	APP	227D	Coram	NY	133.5	10.10	25.5	-15.4
DW228BI	LIC	228D	Smithtown	NY	215.7	6.37	14.5	-8.1
--- Channel 228 93.5 MHz. ---								
WZMX	LIC	229B	Hartford	CT	17.0	76.45	96.5	-20.1
DW228BI	LIC	228D	Smithtown	NY	215.7	6.37	25.5	-19.1
1547005	APP	227D	Coram	NY	133.5	10.10	14.5	-4.4
WVIP	LIC	228A	New Rochelle	NY	267.8	64.29	66.5	-2.2
--- Channel 229 93.7 MHz. ---								
WZMX	LIC	229B	Hartford	CT	17.0	76.45	111.5	-35.1
WNYC-FM	LIC	230B	New York	NY	256.9	75.44	96.5	-21.1
DW228BI	LIC	228D	Smithtown	NY	215.7	6.37	14.5	-8.1
--- Channel 230 93.9 MHz. ---								
WNYC-FM	LIC	230B	New York	NY	256.9	75.44	111.5	-36.1
WZMX	LIC	229B	Hartford	CT	17.0	76.45	96.5	-20.1
--- Channel 231 94.1 MHz. ---								
WWSK	LIC	232A	Smithtown	NY	232.0	18.50	55.5	-37.0
WNYC-FM	LIC	230B	New York	NY	256.9	75.44	96.5	-21.1
WYBC-FM	LIC-D	232A	New Haven	CT	13.3	50.83	55.5	-4.7
--- Channel 232 94.3 MHz. ---								
WWSK	LIC	232A	Smithtown	NY	232.0	18.50	66.5	-48.0
WYBC-FM	LIC-D	232A	New Haven	CT	13.3	50.83	66.5	-15.7
--- Channel 233 94.5 MHz. ---								
WWSK	LIC	232A	Smithtown	NY	232.0	18.50	55.5	-37.0
WYBC-FM	LIC-D	232A	New Haven	CT	13.3	50.83	55.5	-4.7
R70195	ADD	233A	Water Mill	NY	89.2	64.88	66.5	-1.6
--- Channel 234 94.7 MHz. ---								
WNSH	LIC	234B	Newark	NJ	262.7	96.90	111.5	-14.6
WLIX-LP	LIC	234L1	Ridge	NY	92.9	16.65	23.5	-6.9
W235BB	LIC-D	235D	Hauppauge	NY	208.9	11.37	14.5	-3.1
--- Channel 235 94.9 MHz. ---								
WRKI	CP -D	236B	Brookfield	CT	338.1	70.55	96.5	-26.0
WRKI	LIC-D	236B	Brookfield	CT	338.1	70.55	96.5	-26.0
W235BB	LIC-D	235D	Hauppauge	NY	208.9	11.37	25.5	-14.1
--- Channel 236 95.1 MHz. ---								
WRKI	LIC-D	236B	Brookfield	CT	338.1	70.55	111.5	-41.0
WRKI	CP -D	236B	Brookfield	CT	338.1	70.55	111.5	-41.0
W235BB	LIC-D	235D	Hauppauge	NY	208.9	11.37	14.5	-3.1
--- Channel 237 95.3 MHz. ---								
WRKI	LIC-D	236B	Brookfield	CT	338.1	70.55	96.5	-26.0
WRKI	CP -D	236B	Brookfield	CT	338.1	70.55	96.5	-26.0
WPLJ	LIC	238B	New York	NY	256.9	75.44	96.5	-21.1
WHFM	LIC-Z	237A	Southampton	NY	86.6	61.08	66.5	-5.4
--- Channel 238 95.5 MHz. ---								
WPLJ	LIC	238B	New York	NY	256.9	75.44	111.5	-36.1

Call	Channel	Location		Azi	Dist	FCC	Margin
WKSS	LIC-D 239B	Hartford-meriden	CT	17.1	76.38	96.5	-20.1
--- Channel 239 95.7 MHz. ---							
WKSS	LIC-D 239B	Hartford-meriden	CT	17.1	76.38	111.5	-35.1
WPLJ	LIC 238B	New York	NY	256.9	75.44	96.5	-21.1
WFOX	LIC 240A	Norwalk	CT	311.0	35.68	55.5	-19.8
--- Channel 240 95.9 MHz. ---							
WFOX	LIC 240A	Norwalk	CT	311.0	35.68	66.5	-30.8
WJVC	LIC-Z 241A	Center Moriches	NY	101.2	29.85	55.5	-25.7
WKSS	LIC-D 239B	Hartford-meriden	CT	17.1	76.38	96.5	-20.1
--- Channel 241 96.1 MHz. ---							
WJVC	LIC-Z 241A	Center Moriches	NY	101.2	29.85	66.5	-36.7
WXNY-FM	LIC 242B	New York	NY	256.9	75.44	96.5	-21.1
WFOX	LIC 240A	Norwalk	CT	311.0	35.68	55.5	-19.8
--- Channel 242 96.3 MHz. ---							
WXNY-FM	LIC 242B	New York	NY	256.9	75.44	111.5	-36.1
WJVC	LIC-Z 241A	Center Moriches	NY	101.2	29.85	55.5	-25.7
--- Channel 243 96.5 MHz. ---							
WXNY-FM	LIC 242B	New York	NY	256.9	75.44	96.5	-21.1
WTIC-FM	LIC 243B	Hartford	CT	14.8	100.00	111.5	-11.5
W243BF	LIC 243D	Shirley	NY	100.8	29.42	31.5	-2.1
--- Channel 244 96.7 MHz. ---							
WKLV-FM	LIC-N 244A	Port Chester	NY	271.1	56.17	66.5	-10.3
W245BA	LIC 245D	Manorville	NY	138.5	9.29	14.5	-5.2
--- Channel 245 96.9 MHz. ---							
WQHT	LIC 246B	New York	NY	256.9	75.44	96.5	-21.1
W245BA	LIC 245D	Manorville	NY	138.5	9.29	25.5	-16.2
--- Channel 246 97.1 MHz. ---							
WQHT	LIC 246B	New York	NY	256.9	75.44	111.5	-36.1
W245BA	LIC 245D	Manorville	NY	138.5	9.29	14.5	-5.2
--- Channel 247 97.3 MHz. ---							
WALK-FM	LIC-D 248B	Patchogue	NY	134.9	9.47	96.5	-87.0
WQHT	LIC 246B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 248 97.5 MHz. ---							
WALK-FM	LIC-D 248B	Patchogue	NY	134.9	9.47	111.5	-102.0
--- Channel 249 97.7 MHz. ---							
WALK-FM	LIC-D 248B	Patchogue	NY	134.9	9.47	96.5	-87.0
WSKQ-FM	LIC 250B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 250 97.9 MHz. ---							
WSKQ-FM	LIC 250B	New York	NY	256.9	75.44	111.5	-36.1
1550745	APP 251D	Gordon Heights	NY	97.1	13.54	20.5	-7.0

Call	Channel	Location		Azi	Dist	FCC	Margin
--- Channel 251 98.1 MHz. ---							
WSKQ-FM	LIC	250B	New York	NY	256.9	75.44	96.5 -21.1
1550745	APP	251D	Gordon Heights	NY	97.1	13.54	31.5 -18.0
WKJY	LIC	252A	Hempstead	NY	239.9	48.40	55.5 -7.1
--- Channel 252 98.3 MHz. ---							
WBON	LIC-Z	253A	Westhampton	NY	100.8	29.42	55.5 -26.1
WKJY	LIC	252A	Hempstead	NY	239.9	48.40	66.5 -18.1
WDAQ	LIC	252A	Danbury	CT	332.0	59.15	66.5 -7.4
1550745	APP	251D	Gordon Heights	NY	97.1	13.54	20.5 -7.0
--- Channel 253 98.5 MHz. ---							
WBON	LIC-Z	253A	Westhampton	NY	100.8	29.42	66.5 -37.1
WEPN-FM	LIC	254B	New York	NY	256.9	75.44	96.5 -21.1
WKJY	LIC	252A	Hempstead	NY	239.9	48.40	55.5 -7.1
--- Channel 254 98.7 MHz. ---							
WEPN-FM	LIC	254B	New York	NY	256.9	75.44	111.5 -36.1
WBON	LIC-Z	253A	Westhampton	NY	100.8	29.42	55.5 -26.1
--- Channel 255 98.9 MHz. ---							
WPLR	LIC	256B	New Haven	CT	13.2	59.15	96.5 -37.4
WEPN-FM	LIC	254B	New York	NY	256.9	75.44	96.5 -21.1
--- Channel 256 99.1 MHz. ---							
WPLR	LIC	256B	New Haven	CT	13.2	59.15	111.5 -52.4
--- Channel 257 99.3 MHz. ---							
WPLR	LIC	256B	New Haven	CT	13.2	59.15	96.5 -37.4
WBAI	LIC	258B	New York	NY	256.9	75.44	96.5 -21.1
--- Channel 258 99.5 MHz. ---							
WBAI	LIC	258B	New York	NY	256.9	75.44	111.5 -36.1
--- Channel 259 99.7 MHz. ---							
WEZN-FM	LIC	260B	Bridgeport	CT	351.8	42.01	96.5 -54.5
WBAI	LIC	258B	New York	NY	256.9	75.44	96.5 -21.1
--- Channel 260 99.9 MHz. ---							
WEZN-FM	LIC	260B	Bridgeport	CT	351.8	42.01	111.5 -69.5
--- Channel 261 100.1 MHz. ---							
WEZN-FM	LIC	260B	Bridgeport	CT	351.8	42.01	96.5 -54.5
WHTZ	LIC	262B	Newark	NJ	256.9	75.44	96.5 -21.1
--- Channel 262 100.3 MHz. ---							
WHTZ	LIC	262B	Newark	NJ	256.9	75.44	111.5 -36.1
WRCH	LIC	263B	New Britain	CT	14.7	91.85	96.5 -4.7
--- Channel 263 100.5 MHz. ---							
WHTZ	LIC	262B	Newark	NJ	256.9	75.44	96.5 -21.1
WRCH	LIC	263B	New Britain	CT	14.7	91.85	111.5 -19.7
WHUD	LIC	264B	Peekskill	NY	306.6	81.26	96.5 -15.2

Call	Channel	Location		Azi	Dist	FCC	Margin	

--- Channel 264 100.7 MHz. ---								
WHUD	LIC	264B	Peekskill	NY	306.6	81.26	111.5	-30.2
WRCH	LIC	263B	New Britain	CT	14.7	91.85	96.5	-4.7
--- Channel 265 100.9 MHz. ---								
WCBS-FM	LIC	266B	New York	NY	256.9	75.44	96.5	-21.1
WHUD	LIC	264B	Peekskill	NY	306.6	81.26	96.5	-15.2
--- Channel 266 101.1 MHz. ---								
WKCI-FM	LIC-N	267B	Hamden	CT	13.4	60.43	96.5	-36.1
WCBS-FM	LIC	266B	New York	NY	256.9	75.44	111.5	-36.1
--- Channel 267 101.3 MHz. ---								
WKCI-FM	LIC-N	267B	Hamden	CT	13.4	60.43	111.5	-51.1
WCBS-FM	LIC	266B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 268 101.5 MHz. ---								
WKCI-FM	LIC-N	267B	Hamden	CT	13.4	60.43	96.5	-36.1
WBEA	LIC	269A	Southold	NY	94.8	45.27	55.5	-10.2
--- Channel 269 101.7 MHz. ---								
WBEA	LIC	269A	Southold	NY	94.8	45.27	66.5	-21.2
WFAN-FM	LIC	270B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 270 101.9 MHz. ---								
WFAN-FM	LIC	270B	New York	NY	256.9	75.44	111.5	-36.1
WBEA	LIC	269A	Southold	NY	94.8	45.27	55.5	-10.2
--- Channel 271 102.1 MHz. ---								
WBAB	LIC-N	272A	Babylon	NY	238.0	22.04	55.5	-33.5
WFAN-FM	LIC	270B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 272 102.3 MHz. ---								
WBAB	LIC-N	272A	Babylon	NY	238.0	22.04	66.5	-44.5
--- Channel 273 102.5 MHz. ---								
WBAB	LIC-N	272A	Babylon	NY	238.0	22.04	55.5	-33.5
WWFS	LIC	274B	New York	NY	256.9	75.44	96.5	-21.1
WBAZ	LIC	273A	Bridgehampton	NY	90.3	61.22	66.5	-5.3
--- Channel 274 102.7 MHz. ---								
WWFS	LIC	274B	New York	NY	256.9	75.44	111.5	-36.1
WDRC-FM	LIC	275B	Hartford	CT	17.0	76.46	96.5	-20.0
--- Channel 275 102.9 MHz. ---								
WBZO	LIC-Z	276A	Bay Shore	NY	206.2	19.08	55.5	-36.4
WDRC-FM	LIC	275B	Hartford	CT	17.0	76.46	111.5	-35.0
WWFS	LIC	274B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 276 103.1 MHz. ---								
WBZO	LIC-Z	276A	Bay Shore	NY	206.2	19.08	66.5	-47.4
WDRC-FM	LIC	275B	Hartford	CT	17.0	76.46	96.5	-20.0

Call	Channel	Location		Azi	Dist	FCC	Margin
--- Channel 277 103.3 MHz. ---							
WBZO	LIC-Z 276A	Bay Shore	NY	206.2	19.08	55.5	-36.4
WKTU	LIC 278B	Lake Success	NY	256.9	75.44	96.5	-21.1
R12015	ADD 277A	Noyack	NY	89.7	63.10	66.5	-3.4
R61359	ADD 277A	Water Mill	NY	89.7	63.10	66.5	-3.4
--- Channel 278 103.5 MHz. ---							
WKTU	LIC 278B	Lake Success	NY	256.9	75.44	111.5	-36.1
--- Channel 279 103.7 MHz. ---							
WRCN-FM	LIC 280A	Riverhead	NY	101.2	29.85	55.5	-25.7
WKTU	LIC 278B	Lake Success	NY	256.9	75.44	96.5	-21.1
--- Channel 280 103.9 MHz. ---							
WRCN-FM	LIC 280A	Riverhead	NY	101.2	29.85	66.5	-36.7
WMRQ-FM	LIC-D 281B	Waterbury	CT	17.0	76.40	96.5	-20.1
WFAS-FM	LIC 280A	Bronxville	NY	282.8	61.42	66.5	-5.1
WFAS-FM	CP 280A	Bronxville	NY	267.8	64.29	66.5	-2.2
--- Channel 281 104.1 MHz. ---							
WMRQ-FM	LIC-D 281B	Waterbury	CT	17.0	76.40	111.5	-35.1
WRCN-FM	LIC 280A	Riverhead	NY	101.2	29.85	55.5	-25.7
WAXQ	LIC 282B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 282 104.3 MHz. ---							
WAXQ	LIC 282B	New York	NY	256.9	75.44	111.5	-36.1
WMRQ-FM	LIC-D 281B	Waterbury	CT	17.0	76.40	96.5	-20.1
W283BA	LIC 283D	Selden	NY	138.5	9.29	14.5	-5.2
W283BA	CP 283D	Selden	NY	133.5	10.10	14.5	-4.4
--- Channel 283 104.5 MHz. ---							
WAXQ	LIC 282B	New York	NY	256.9	75.44	96.5	-21.1
W283BA	LIC 283D	Selden	NY	138.5	9.29	25.5	-16.2
W283BA	CP 283D	Selden	NY	133.5	10.10	25.5	-15.4
WSPK	LIC 284B	Poughkeepsie	NY	313.2	95.30	96.5	-1.2
--- Channel 284 104.7 MHz. ---							
WSPK	LIC 284B	Poughkeepsie	NY	313.2	95.30	111.5	-16.2
W283BA	LIC 283D	Selden	NY	138.5	9.29	14.5	-5.2
W283BA	CP 283D	Selden	NY	133.5	10.10	14.5	-4.4
--- Channel 285 104.9 MHz. ---							
WWPR-FM	LIC 286B	New York	NY	256.9	75.44	96.5	-21.1
WSPK	LIC 284B	Poughkeepsie	NY	313.2	95.30	96.5	-1.2
--- Channel 286 105.1 MHz. ---							
WWPR-FM	LIC 286B	New York	NY	256.9	75.44	111.5	-36.1
WPTY	LIC-N 287A	Calverton-roanoke	NY	100.8	29.40	55.5	-26.1
--- Channel 287 105.3 MHz. ---							
WPTY	LIC-N 287A	Calverton-roanoke	NY	100.8	29.40	66.5	-37.1
WWPR-FM	LIC 286B	New York	NY	256.9	75.44	96.5	-21.1
--- Channel 288 105.5 MHz. ---							

Call	Channel	Location		Azi	Dist	FCC	Margin
WPTY	LIC-N 287A	Calverton-roanoke	NY	100.8	29.40	55.5	-26.1
W289AD	LIC 289D	Selden	NY	138.3	9.32	27.5	-18.2
--- Channel 289 105.7 MHz. ---							
W289AD	LIC 289D	Selden	NY	138.3	9.32	38.5	-29.2
WHCN	LIC-D 290B	Hartford	CT	17.0	76.54	96.5	-20.0
--- Channel 290 105.9 MHz. ---							
WBLI	LIC-D 291B	Patchogue	NY	138.5	9.29	96.5	-87.2
WHCN	LIC-D 290B	Hartford	CT	17.0	76.54	111.5	-35.0
W289AD	LIC 289D	Selden	NY	138.3	9.32	27.5	-18.2
WQXR-FM	LIC 290B1	Newark	NJ	256.9	75.44	86.5	-11.1
--- Channel 291 106.1 MHz. ---							
WBLI	LIC-D 291B	Patchogue	NY	138.5	9.29	111.5	-102.2
WHCN	LIC-D 290B	Hartford	CT	17.0	76.54	96.5	-20.0
--- Channel 292 106.3 MHz. ---							
WBLI	LIC-D 291B	Patchogue	NY	138.5	9.29	96.5	-87.2
WFME	LIC 292A	Mount Kisco	NY	303.6	56.71	66.5	-9.8
--- Channel 293 106.5 MHz. ---							
WLTW	LIC 294B	New York	NY	256.9	75.44	96.5	-21.1
W219BA	CP 293D	Ridge	NY	100.8	29.40	31.5	-2.1
--- Channel 294 106.7 MHz. ---							
WLTW	LIC 294B	New York	NY	256.9	75.44	111.5	-36.1
--- Channel 295 106.9 MHz. ---							
WLTW	LIC 294B	New York	NY	256.9	75.44	96.5	-21.1
WLIR-FM	LIC-Z 296A	Hampton Bays	NY	93.4	35.43	55.5	-20.1
1551110	APP 296D	Stony Brook	NY	0.0	0.00	14.5	-14.5
WCCC-FM	LIC 295B	Hartford	CT	14.8	102.58	111.5	-8.9
1551095	APP 296D	Hauppauge	NY	220.4	13.96	14.5	-0.54
--- Channel 296 107.1 MHz. ---							
WLIR-FM	LIC-Z 296A	Hampton Bays	NY	93.4	35.43	66.5	-31.1
1551110	APP 296D	Stony Brook	NY	0.0	0.00	25.5	-25.5
SUNY297	APP 297D	Stony Brook	NY	0.0	0.00	14.5	-14.5
1551095	APP 296D	Hauppauge	NY	220.4	13.96	25.5	-11.5
WXPX	LIC-Z 296A	Briarcliff Manor	NY	288.7	61.39	66.5	-5.1
--- Channel 297 107.3 MHz. ---							
SUNY297	APP 297D	Stony Brook	NY	0.0	0.00	25.5	-25.5
WBLS	LIC 298B	New York	NY	256.9	75.44	96.5	-21.1
WLIR-FM	LIC-Z 296A	Hampton Bays	NY	93.4	35.43	55.5	-20.1
1551110	APP 296D	Stony Brook	NY	0.0	0.00	14.5	-14.5
1551095	APP 296D	Hauppauge	NY	220.4	13.96	14.5	-0.54
--- Channel 298 107.5 MHz. ---							
WBLS	LIC 298B	New York	NY	256.9	75.44	111.5	-36.1
SUNY297	APP 297D	Stony Brook	NY	0.0	0.00	14.5	-14.5
--- Channel 299 107.7 MHz. ---							
WEBE	LIC 300B	Westport	CT	348.6	30.13	96.5	-66.4
WBLS	LIC 298B	New York	NY	256.9	75.44	96.5	-21.1

Call	Channel	Location		Azi	Dist	FCC	Margin
------	---------	----------	--	-----	------	-----	--------

--- Channel 300 107.9 MHz. ---

WEBE	LIC	300B	Westport	CT	348.6	30.13	111.5	-81.4
------	-----	------	----------	----	-------	-------	-------	-------

All separation margins include rounding

New Haven, CT
Latitude 41-18-29
Longitude 072-55-46
Grid Size 31 x 31
Micro FM 100 Watts at 30m HAAT
Co-Channel and 1st Adjacent Protected
2nd Adjacent Channel Not Protected
3rd Adjacent Channel Not Protected
I.F. Not Protected
TV Channel 6 Protected
CP Records Protected
APP Records Protected
FM Translators Protected
TV Channel 6 Translators/LP Protected
Auc83 FX App Records Not Protected

[illegible]

Total	3504
-------	------


Total allotments, least preclusive spacing:	38
Total allotments, most preclusive spacing:	28

Co-Channel to Proposal
New Haven, CT
Latitude 41-18-29
Longitude 072-55-46
Least preclusive siting
Availability of Channel 297 (X)


New Haven, CT
Latitude 41-18-29
Longitude 072-55-46
Most preclusive siting
Availability of Channel 297 (X)

The figure consists of two side-by-side 10x10 grids. Each grid has a vertical line on the left and a vertical line on the right, with '+' signs at the top corners. The top row of each grid is labeled '0' at the left and right ends. The bottom row of each grid has a red circle at the center, labeled with a minus sign. In the left grid, a path of red circles starts at the bottom-left corner and moves towards the top-right. In the right grid, a path of red circles starts at the bottom-right corner and moves towards the top-left.

Ù à æ & ^ º Á Ú [ç ª Á F Ē G H Ę J Æ Ğ Î Ë Ì



Poi nt #899 at 41-33-29 073-08-46
Poi nt #031 at 41-33-29 072-40-46



Poi nt #304 at 41-27-29 072-49-46
Poi nt #805 at 41-32-29 073-05-46

First Adjacent to Proposal


New Haven, CT

Latitude 41-18-29

Longitude 072-55-46

Least preclusive siting

Availability of Channel 298 (X)




New Haven, CT

Latitude 41-18-29

Longitude 072-55-46

Most preclusive siting

Availability of Channel 298 (X)



Uæ^aÁ[q ó Á FÉÍ EÜÄ GE ì È Î

Poi nt #589 at 41-33-29 072-58-46
Poi nt #389 at 41-19-29 072-52-46

Poi nt #112 at 41-21-29 072-43-46
Poi nt #612 at 41-25-29 072-59-46


Stony Brook, NY Translator - New Haven, CT Market - Co-Channel LPFM NPS

Proposal

Stony Brook, NY
Latitude: 40-54-17.60 N
Longitude: 073-06-48.60 W
ERP: 0.006 kW
Channel: 297
Frequency: 107.3 MHz
AMSL Height: 174.0 m
Elevation: 54.3 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: None

7/12/2013

V Doug Vernier
401 Main Street, Suite 213
Cedar Falls, Iowa 50613
Telecommunication Consultants




Stony Brook, NY Translator - New Haven, CT Market - 1st Adjacent LPFM NPS

Proposal

Stony Brook, NY
Latitude: 40-54-17.60 N
Longitude: 073-06-48.60 W
ERP: 0.006 kW
Channel: 297
Frequency: 107.3 MHz
AMSL Height: 174.0 m
Elevation: 54.3 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: None

7/12/2013

V Doug Vernier
401 Main Street, Suite 213
Cedar Falls, Iowa 50613
Telecommunication Consultants



Danbury, CT
 Latitude 41-23-41
 Longitude 073-27-16
 Grid Size 31 x 31
 Micro FM 100 Watts at 30m HAAT
 Co-Channel and 1st Adjacent Protected
 2nd Adjacent Channel Not Protected
 3rd Adjacent Channel Not Protected
 I. F. Not Protected
 TV Channel 6 Protected
 CP Records Protected
 APP Records Protected
 FM Translators Protected
 TV Channel 6 Translators/LP Protected
 Auc83 FX App Records Not Protected

Chan	Avail	Chan	Avail	Chan	Avail	Chan	Avail	Chan	Avail
200	0	220	0	240	0	260	0	280	0
201	0	221	2	241	0	261	0	281	0
202	0	222	0	242	0	262	0	282	0
203	0	223	0	243	0	263	0	283	0
204	0	224	0	244	0	264	0	284	0
205	0	225	64	245	34	265	0	285	0
206	0	226	0	246	0	266	0	286	0
207	0	227	0	247	0	267	0	287	0
208	0	228	0	248	0	268	0	288	0
209	0	229	0	249	0	269	0	289	0
210	0	230	0	250	0	270	0	290	0
211	0	231	0	251	0	271	0	291	0
212	0	232	0	252	0	272	7	292	0
213	0	233	0	253	0	273	17	293	34
214	0	234	0	254	30	274	0	294	0
215	0	235	0	255	0	275	0	295	0
216	0	236	0	256	0	276	0	296	0
217	0	237	0	257	0	277	0	297	1
218	0	238	0	258	31	278	0	298	28
219	0	239	0	259	0	279	242	299	0
								300	0

 Total 490



Total allotments, least preclusive spacing: 14
 Total allotments, most preclusive spacing: 10

Co-Channel to Proposal

Danbury, CT
 Latitude 41-23-41
 Longitude 073-27-16
 Least preclusive siting
 Availability of Channel 297 (X)


Danbury, CT
 Latitude 41-23-41
 Longitude 073-27-16
 Most preclusive siting
 Availability of Channel 297 (X)

0	0
0	0



First Adjacent to Proposal
Danbury, CT
Latitude 41-23-41
Longitude 073-27-16
Least preclusive siting
Availability of Channel 298 (X)

Danbury, CT
Latitude 41-23-41
Longitude 073-27-16
Most preclusive siting
Availability of Channel 298 (X)



Stony Brook, NY Translator - Danbury, CT Market - Co-Channel LPFM NPS

Proposal


Stony Brook, NY
Latitude: 40-54-17.60 N
Longitude: 073-06-48.60 W
ERP: 0.006 kW
Channel: 297
Frequency: 107.3 MHz
AMSL Height: 174.0 m
Elevation: 54.3 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: None

7/12/2013



Doug Vernier
401 Main Street, Suite 213
Cedar Falls, Iowa 50613

Telecommunication Consultants




Stony Brook, NY Translator - Danbury, CT Market - 1st Adjacent LPFM NPS

Proposal

Stony Brook, NY
Latitude: 40-54-17.60 N
Longitude: 073-06-48.60 W
ERP: 0.006 kW
Channel: 297
Frequency: 107.3 MHz
AMSL Height: 174.0 m
Elevation: 54.3 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: None

7/12/2013

V Doug Vernier
401 Main Street, Suite 213
Cedar Falls, Iowa 50613
Telecommunication Consultants



Declaration:

I, Katherine A. English, have received a Bachelor of Science degree from the University of Northern Iowa, and;

That, I declare that I have received training as a technical consultant as a member of the staff of Doug Vernier Telecommunications Consultants, and;

That, I have been a member of the firm for over fifteen years, and;


That, my qualifications are a matter of record with the Federal Communications Commission, and;

That, I am an Associate Member (#20792) of the Society of Broadcast Engineers, Indianapolis, Indiana, and;

That, the consulting firm of Doug Vernier Telecommunications Consultants has been retained by the State University of New York, and;

That, I have personally prepared these engineering showings, the technical information contained in same and the facts stated within are true to my knowledge.

I declare under penalty of perjury that the foregoing is true and correct.

A handwritten signature in cursive script that reads "Kate English". The signature is written in dark ink and is positioned above a horizontal line.

Katherine A. English

Executed on July 12, 2013.