



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION CONSTRUCTION PERMIT

Official Mailing Address:

DEKALB COUNTY RADIO, LIMITED
 2201 N. FIRST ST., #95
 DEKALB, IL 60115

Authorizing Official:

Arthur E. Doak

Arthur E. Doak
 Senior Engineer
 Audio Services Division
 Mass Media Bureau

Grant Date: **JUN 18 1998**

This permit expires 3:00 a.m.
 local time, 18 months after
 grant date specified above.

Call Sign: WDKB

Permit File No.: BPH-980109IH

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee:

DEKALB COUNTY RADIO, LIMITED

Station Location:

IL-DEKALB

Frequency (MHz): 94.9

Channel: 235

Class: A

Hours of Operation: Unlimited

Transmitter location (address or description):
 1L-2201 NORTH FIRST STREET, DEKALB.

Transmitter: Type Accepted. See Sections 73.1660, 73.1655 and 73.1670
 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: (directional or non-directional): Non-Directional

Antenna Coordinates: North Latitude : 41 56 57
 West Longitude : 98 53 44

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW).....	3.0	3.0
Height of radiation center above ground (Meters).....	87	87
Height of radiation center above mean sea level (Meters).....	361	361
Height of radiation center above average terrain (Meters).....	100	100

Antenna structure registration number: 1049180

Overall height of antenna structure above ground (including obstruction
 lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

1. The permittee/licensee must reduce power or cease operation as
 necessary to protect persons having access to the site, tower or
 antenna from radiofrequency electromagnetic fields in excess of FCC
 guidelines.

*** END OF AUTHORIZATION ***

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION CONSTRUCTION PERMIT



Official Mailing Address:

DEKALB COUNTY RADIO, LIMITED
2201 N. FIRST ST., #95
DEKALB, IL 60115

Authorizing Official

Penelope A. Dade

Penelope A. Dade
Supr Applications Examiner, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date: March 20, 1990

Call sign: WDKB

This permit expires 3:00 am.
local time: October 28, 1990

Permit File No.: BMPH-891010IL

This permit modifies Permit No.: 870817MG

This authorization re-issued to reflect a change in official mailing address effective 8/29/90

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of permittee:

DEKALB COUNTY RADIO, LIMITED

Station Location:

IL-DEKALB

Call sign: WDKB

Permit No.: BMPH-891010IL

Frequency (MHz): 94.9

Channel: 235

Class: A

Hours of Operation: Unlimited

Transmitter location (address or description):

SOUTH OF TWOMBLY ROAD, EAST OF MCQUEEN ROAD, 11.3 KM WEST OF
DEKALB, ILLINOIS

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670
of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: (directional or non-directional): Non-directional

Antenna coordinates: North Latitude: 41 56 58.0
West Longitude: 88 53 43.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	3.0	3.0
Height of radiation center above ground (meters) :	87.0	87.0
Height of radiation center above mean sea level (meters) :	361.0	361.0
Height of radiation center above average terrain (meters) :	100.0	100.0
Overall height of antenna structure above ground (including obstruction lighting, if any) :	91.0 meters	

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 11.0, FCC Form 715 (March 1978):

At the approximate mid point of the over-all height of the tower there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of a least one light at each level from aircraft at any normal angle of approach.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

Special operating conditions or restrictions:

UPON RECEIPT OF NOTIFICATION FROM THE COMMISSION THAT HARMFUL INTERFERENCE IS BEING CAUSED BY THE OPERATION OF PERMITEE'S/LICENSEE'S TRANSMITTER, THE PERMITEE/LICENSEE SHALL EITHER IMMEDIATELY REDUCE THE POWER TO THE POINT OF NO INTERFERENCE, CEASE OPERATION, OR TAKE SUCH IMMEDIATE CORRECTIVE ACTION AS IS NECESSARY TO ELIMINATE THE HARMFUL INTERFERENCE. THIS CONDITION EXPIRES AFTER ONE YEAR OF INTERFERENCE-FREE OPERATION.

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION CONSTRUCTION PERMIT



Official Mailing Address:

DEKALB COUNTY RADIO, LIMITED
608 JOANNE LANE
DEKALB, IL 60115

Authorizing Official:

Dale E. Bickel

Dale E. Bickel
Supervisory Engineer, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date: MAR 20 1990

Call sign: WDKB

This permit expires 3:00 am.
local time: October 28, 1990

Permit File No.: BMPH-891010IL

This permit modifies Permit No.: 870817MG

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of permittee:

DEKALB COUNTY RADIO, LIMITED

Station Location:

IL-DEKALB

Frequency (MHz): 94.9

Channel: 235

Call sign: WDKB

Permit No.: BMPH-891010IL

Class: A

Hours of Operation: Unlimited

Transmitter location (address or description):

SOUTH OF TWOMBLY ROAD, EAST OF MCQUEEN ROAD, 11.3 KM WEST OF DEKALB, ILLINOIS

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: (directional or non-directional): Non-directional

Antenna coordinates: North Latitude: 41 56 58.0
West Longitude: 88 53 43.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	3.0	3.0
Height of radiation center above ground (meters) :	87.0	87.0
Height of radiation center above mean sea level (meters) :	361.0	361.0
Height of radiation center above average terrain (meters) :	100.0	100.0
Overall height of antenna structure above ground (including obstruction lighting, if any) :	91.0 meters	

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 11.0, FCC Form 715 (March 1978):

At the approximate mid point of the over-all height of the tower there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of a least one light at each level from aircraft at any normal angle of approach.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

Special operating conditions or restrictions:

UPON RECEIPT OF NOTIFICATION FROM THE COMMISSION THAT HARMFUL INTERFERENCE IS BEING CAUSED BY THE OPERATION OF PERMITEE'S/LICENSEE'S TRANSMITTER, THE PERMITEE/LICENSEE SHALL EITHER IMMEDIATELY REDUCE THE POWER TO THE POINT OF NO INTERFERENCE, CEASE OPERATION, OR TAKE SUCH IMMEDIATE CORRECTIVE ACTION AS IS NECESSARY TO ELIMINATE THE HARMFUL INTERFERENCE. THIS CONDITION EXPIRES AFTER ONE YEAR OF INTERFERENCE-FREE OPERATION.

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION CONSTRUCTION PERMIT



Official Mailing Address:

TANA S. KNETSCH
1018 DEKALB AVENUE
SYCAMORE, IL 60178

Authorizing Official:

Robert D. Greenberg
Robert D. Greenberg
Supervisory Engineer, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date: APR 28 1989

Call sign: 870817MG

This permit expires 3:00 am.
local time 18 months after
grant date specified above

Permit File No.: BPH-870817MG

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of permittee:

TANA S. KNETSCH

Station Location:

IL-DEKALB

Frequency (MHz): 94.9

Channel: 235

Class: A

Hours of Operation: Unlimited

Transmitter location (address or description):

2 KM BEARING 320 DEGREES TRUE FROM INTERSECTION OF ROUTE 38 AND MALTA ROAD

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: (directional or non-directional): Non-directional

Antenna coordinates: North Latitude: 41 56 58.0
West Longitude: 88 53 33.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	3.00	3.00
Height of radiation center above ground (meters) :	90.0	90.0
Height of radiation center above mean sea level (meters) :	361.0	361.0
Height of radiation center above average terrain (meters) :	100.0	100.0
Overall height of antenna structure above ground (including obstruction lighting, if any) :	96.0 meters	

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 11.0, FCC Form 715 (March 1978):

At the approximate mid point of the over-all height of the tower there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of a least one light at each level from aircraft at any normal angle of approach.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION CONSTRUCTION PERMIT



Official Mailing Address:

DEKALB COUNTY RADIO, LIMITED
608 JOANNE LANE
DEKALB, IL 60115

Authorizing Official:

Penelope A. Dade

Penelope A. Dade
Supr Applications Examiner, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date: April 28, 1989

Call sign: WDKB

This permit expires 3:00 am.
local time: October 28, 1990

Permit File No.: BPH-870817MG

This authorization re-issued to reflect a change in official mailing address effective 11/08/89

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of permittee:

TANA S. KNETSCH

Station Location:

IL-DEKALB

Frequency (MHz): 94.9

Channel: 235

Class: A

Hours of Operation: Unlimited

Transmitter location (address or description):

2 KM BEARING 320 DEGREES TRUE FROM INTERSECTION OF ROUTE 38 AND MALTA ROAD

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: (directional or non-directional): Non-directional

Antenna coordinates: North Latitude: 41 56 58.0
West Longitude: 88 53 33.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	3.00	3.00
Height of radiation center above ground (meters) :	90.0	90.0
Height of radiation center above mean sea level (meters) :	361.0	361.0
Height of radiation center above average terrain (meters) :	100.0	100.0
Overall height of antenna structure above ground (including obstruction lighting, if any) :	96.0 meters	

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 11.0, FCC Form 715 (March 1978):

At the approximate mid point of the over-all height of the tower there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

FEDERAL COMMUNICATIONS COMMISSION

WASHINGTON, D.C. 20554

IN REPLY REFER TO:

TANA S. KNETSCH
1018 DEKALB AVENUE
SYCAMORE, IL 60178

8700-SCW

NOTICE TO PERMITTEE:

The Commission on APRIL 28, 1989 , granted your application, File No. BPH-870817MG authorizing construction of a new FM broadcast station at DEKALB, IL . The construction permit is enclosed. (Note that call letters have not been assigned).

In the event you have not already done so, it is requested that you submit immediately, a list of at least five call signs, in order of your preference (See Section 73.3550 of the Commission Rules), as program test authority cannot be granted pending the selection and assignment of a call sign. If such request is not received within 30 days of the date of this letter, the Commission will assign a call sign of its own choice.

Your attention is directed to Section 73.3615(b) of the Commission Rules, which requires the filing of an Ownership Report (FCC Form 323) within thirty (30) days of the date of grant of the construction permit by the Commission. In the event you are the licensee/permittee of another station and have on file a current Ownership Report, you may complete and file only page one of FCC Form 323 to reflect the acquisition of the station listed above. However, if there are additional changes that must be reported under Section 73.3615(a) of the Rules, a complete Ownership Report must be filed.

Contractual information required by Section 73.3613 not currently reported or on file with the Commission should be fully reported in Item 6, page one of the Ownership Report and copies of each instrument should be submitted with the report. Enclosed herewith are copies of the Ownership Report. Instructions for completing the report are on the reverse side.

It is extremely important that this office be kept informed as to your current mailing address, since future correspondence with you, including urgent telegraphic messages, will be sent to the address shown in our records. Please check the above mailing address and notify this office of any change.

Chief, FM Branch
Mass Media Bureau