### **Federal Communications Commission**

# NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

#### Licensee/Permittee

Hearst Properties Inc. P.O. Box 1800 Raleigh, NC, 27602

**Call Sign File Number**WESH 0000143773

Facility ID: 25738 NTSC TSID: 564 Digital TSID: 565

This License Modifies License No.

0000130111

#### **ATSC 3.0**

<b>Grant Date</b> 05/06/2021	<b>Expiration</b> 02/01/202	
Hours of Operation Unlimited		<del>2</del>
Station Location  City DAYTONA BEACH  State FL	Frequency (MHz) 198.0 - 204.0	Station Channel
Facility Type Commercial		,

Antenna Structure Registration Number 1063249				
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.			
Antenna Coordinates  Latitude 28-36-36.0 N  Longitude 81-3-34.0 W	Antenna Type Directional			
Description of Antenna  Make DIE  Model THV-11A11 C140	•			

Antenna Beam Tilt (Degrees Electrical) 0.95	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions 325.0	Maximum Effective Radiated Power (Average) 64.6 kW 18.10 DBK
Height of Radiated Center Above Ground (Meters) 506	Height of Radiated Center Above Mean Sea Level (Meters) 522.0
Height of Radiated Center Above Average Terrain (Meters) 512.4	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

## Waivers/Special Conditions

**ATSC 1.0** 

Call SignFacility IDWKCF53465

<b>Grant Date</b> 05/06/2021	Expirat 02/01/2	cion Date 2029
Hours of Operation Unlimited	MUNICATION	50
Station Location  City CLERMONT  State FL	Frequency (MHz) 524.0 - 530.0	Station Channel 23
Facility Type Commercial		•

Antenna Structure Registration Number	
1212124	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 28-35-12.6 N	Directional
Longitude 81-4-57.5 W	

Description of Antenna		
Make DIE		
odel TFU-27ETT-R 4C140		
Antenna Beam Tilt (Degrees Electrical) 0.75	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable	
Major Lobe Directions 160.0 320.0	Maximum Effective Radiated Power (Average) 1000 kW 30.00 DBK	
Height of Radiated Center Above Ground (Meters) 502.9	Height of Radiated Center Above Mean Sea Level (Meters) 523.3	
Height of Radiated Center Above Average Terrain (Meters) 510.8	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.	

# Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.