



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION**



Owner: Radio Partners, LLC

FCC Registration
Number (FRN): 0004978763

Frank Iorio Radio Partners, LLC 1316 7th Avenue PO Box 719 Beaver Falls, PA 15010-4217	Antenna Structure Registration Number: <p align="center">1025455</p>
	Issue Date: <p align="center">02-21-2006</p>
Location of Antenna Structure: 512 MOHAWK AVE EXT WARREN, PA	Ground Elevation (AMSL): <p align="center">573.0 meters</p>
	Overall Height Above Ground (AGL) <p align="center">68.0 meters</p>
Latitude Longitude 41-48-50.0N 79-10-3.0W NAD83	Overall Height Above Mean Sea Level (AMSL): <p align="center">641.0 meters</p>
Painting and Lighting Requirement s: FCC Paragraphs 1, 3, 11, 21	
Special Conditions:	

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <http://wireless.fcc.gov/antenna>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

Posting the Registration Number: The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).

Inspecting lights and equipment: The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.

Reporting outages and malfunctions: When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.

Maintaining assigned painting: The antenna structure must be repainted as often as necessary to maintain good visibility.

Complying with environmental rules: If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).

Updating information: The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the Internet at <http://wireless.fcc.gov/antenna> or call (877) 480-3201 (TTY 717-338-2824) and select option #2.

We have estimated the third party burden requirement associated with this collection to be 1 hour. This requirement has been identified under OMB control number of 3060-0139.

Registration #: 1025455

Issue Date: 02-21-2006

FCC 854R Page 2 of 2

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1 Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width. All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3 There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11 At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

THE ATTACHED DOCUMENT
SHOULD BE PLACED
IN YOUR
LOCAL PUBLIC FILE

WOMBLE CARLYLE SANDRIDGE & RICE
A Professional Limited Liability Company

1401 I STREET, NW
7TH FLOOR
WASHINGTON, DC 20005

(202) 467-6900 (VOICE)
(202) 467-6910 (FAX)

REFERENCE COPY

This is not an official FCC authorization. It is a record of public information contained in the FCC's Antenna Structure Registration database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC authorization, this document may not be used in place of an official FCC authorization.

**United States of America
Federal Communications Commission**

Antenna Structure Registration

Owner: Radio Partners, LLC
FCC Registration Number (FRN): 0004978763

Radio Partners, LLC Attention To: Frank Iorio 1316 7th Avenue P.O. Box 719 Beaver Falls, PA 15010-4217	Registration Number: 1025455
	Issue Date: 02/21/2006
Location of Antenna Structure: 512 MOHAWK AVE EXT WARREN, PA	Ground Elevation (AMSL): 573.0 meters
	Overall Height Above Ground (AGL): 68.0 meters
Latitude: 41-48-50.0 N Longitude: 079-10-03.0 W NAD83	Overall Height Above Mean Sea Level (AMSL): 641.0 meters
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21	
Special Conditions:	

This registration is effective upon completion of the described antenna structure and notification to the Commission. YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT. Use FCC Form 854. To file electronically, connect to the Antenna Structure Registration system by pointing your web browser to <http://wireless.fcc.gov/antenna/>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna

structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)(h).

- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the Internet at <http://wireless.fcc.gov/antenna/> or call the FCC's National Call Center at 1-888-CALLFCC (1-888-225-5322).

We have estimated the third party burden requirement associated with this collection to be 1 hour. This requirement has been identified under OMB control number of 3060-0139.

Registration Number: 1025455

Issue Date:
FCC 854R

Obstruction Marking and Lighting Specifications for Antenna Structures

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1. Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width. All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3. There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11. At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed

visibility of at least one light at each level from aircraft at any normal angle of approach.

21. All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

CLOSE WINDOW

REFERENCE COPY

This copy is intended to be used as a reference copy only and MAY NOT be submitted to the FCC as an application for manual filing.

FCC 854 Main Form**FCC Application for Antenna Structure Registration**

Approved by OMB

3060 - 0139

Est. Public Burden per Response: 30 minutes

File Number: **A0492633****Purpose of Filing**1. Purpose of this filing: **Admin Update**2A. For purpose codes of **WD** or **AM**, provide the file number of the pending application currently on file with the FCC:2B. For purpose codes of **MD**, **CA**, **AU**, **DI**, **NT**, **DU** or **OC** provide FCC Registration Number: **1025455**2C. If purpose code is **MD** or **NT**, provide date constructed or Last altered (mm/dd/yy):2D. If purpose code is **DI**, give date of dismantlement (mm/dd/yy):**Antenna Structure Ownership Information**

3A. FCC ID of Owner/Assignee: L00111181	3B. Sub-Group Identification Number (SGIN) of Owner/Assignee: 000	3C. FCC Registration Number (FRN) of Owner/Assignee: 0004978763
4A. FCC ID of Assignor (for purpose code OC only):	4B. Sub-Group Identification Number (SGIN) of Assignor:	4C. FCC Registration Number (FRN) of Assignor:
5. Legal Owner of Structure/Assignee First Name (if individual):	MI:	Last Name:
6. Business Name (if other than Individual): Radio Partners, LLC		
7. Attention To: Frank Iorio		
8. P.O. Box 719	And/Or	9. Street Address: 1316 7th Avenue
10. City: Beaver Falls	11. State: PA	12. Zip Code: 15010-4217
13. Telephone Number: (724)846-4100	14. E-Mail Address:	

Contact Representative Information

(If different from the Owner/Assignee)

15. First Name: Vincent	MI: A	Last Name: Pepper	Suffix: Esq
16. Business Name: Womble Carlyle Sandridge & Rice, PLLC			
17. P.O. Box:	And/Or	18. Street Address: 1401 I Street, NW, Seventh Floor	
19. City: Washington	20. State: DC	21. Zip: 20005-2225	
22. Telephone Number: (202)857-4560	23. E-Mail Address: vpepper@wcsr.com		

Antenna Structure

24. NAD83 Antenna Structure Latitude (DD-MM-SS.S): 41-48-50.0 N (N) N or S	25. NAD83 Antenna Structure Longitude (DDD-MM-SS.S): 079-10-03.0 W (W) W or E
---	--

26. Address or Geographical Location: 512 MOHAWK AVE EXT	
27. City: WARREN	28. State: PA
29. Elevation of site above mean sea level (refer to "a" in antenna structure examples): 573.0 meters	
30. Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples): 68.0 meters	
31. Overall height above mean sea level (sum total of items 29 and 30): 641.0 meters	
32. Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples): 67.0 meters	
33. Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions): TOWER -	
34-35. If type of structure is an Array, provide coordinates for center of the array below:	
34. NAD83 Array Center Latitude (DD-MM-SS.S): (N) or S	35. NAD83 Array Center Longitude (DDD-MM-SS.S): (W) or S

FAA Notification

36. FAA Study Number:	37. Date Issued (mm/dd/yy):
------------------------------	------------------------------------

Environmental Assessment

38. (No)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If '\YES\' , submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.
-----------------	--	--

Certification Statements

<p>1. The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.</p>
<p>2. The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. ? 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR ? 1.2002(b), for the definition of '\party to the application\' as used in this certification.</p>

Signature

39. Typed or Printed Name of Party Authorized to Sign

First Name: Frank	MI:	Last Name: Iorio	Suffix:
40. Title: Sole Member			
41. Signature: Iorio , Frank		42. Date (mmddy): 02/21/2006	
WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, ? 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, ? 503).			

CLOSE WINDOW

REFERENCE COPY

This is not an official FCC authorization. It is a record of public information contained in the FCC's Antenna Structure Registration database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC authorization, this document may not be used in place of an official FCC authorization.

**United States of America
Federal Communications Commission**

Antenna Structure Registration

Owner: Radio Partners, LLC
FCC Registration Number (FRN): 0004978763

Radio Partners, LLC Attention To: Frank Iorio 1316 7th Avenue P.O. Box 719 Beaver Falls, PA 15010-4217	Registration Number: 1025455
	Issue Date: 02/21/2006
Location of Antenna Structure: 512 MOHAWK AVE EXT WARREN, PA	Ground Elevation (AMSL): 573.0 meters
	Overall Height Above Ground (AGL): 68.0 meters
Latitude: 41-48-50.0 N Longitude: 079-10-03.0 W NAD83	Overall Height Above Mean Sea Level (AMSL): 641.0 meters
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21	
Special Conditions:	

This registration is effective upon completion of the described antenna structure and notification to the Commission. YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT. Use FCC Form 854. To file electronically, connect to the Antenna Structure Registration system by pointing your web browser to <http://wireless.fcc.gov/antenna/>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna

structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)(h).

- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the Internet at <http://wireless.fcc.gov/antenna/> or call the FCC's National Call Center at 1-888-CALLFCC (1-888-225-5322).

We have estimated the third party burden requirement associated with this collection to be 1 hour. This requirement has been identified under OMB control number of 3060-0139.

Registration Number: 1025455

Issue Date:
FCC 854R

Obstruction Marking and Lighting Specifications for Antenna Structures

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1. Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width. All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3. There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11. At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed

visibility of at least one light at each level from aircraft at any normal angle of approach.

21. All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

CLOSE WINDOW

REFERENCE COPY

This copy is intended to be used as a reference copy only and MAY NOT be submitted to the FCC as an application for manual filing.

FCC 854 Main Form**FCC Application for Antenna Structure Registration**

Approved by OMB
3060 - 0139
Est. Public Burden per Response: 30 minutes

File Number: **A0492633**

Purpose of Filing

1. Purpose of this filing: Admin Update
2A. For purpose codes of WD or AM , provide the file number of the pending application currently on file with the FCC:
2B. For purpose codes of MD , CA , AU , DI , NT , DU or OC provide FCC Registration Number: 1025455
2C. If purpose code is MD or NT , provide date constructed or Last altered (mm/dd/yy):
2D. If purpose code is DI , give date of dismantlement (mm/dd/yy):

Antenna Structure Ownership Information

3A. FCC ID of Owner/Assignee: L00111181	3B. Sub-Group Identification Number (SGIN) of Owner/Assignee: 000	3C. FCC Registration Number (FRN) of Owner/Assignee: 0004978763	
4A. FCC ID of Assignor (for purpose code OC only):	4B. Sub-Group Identification Number (SGIN) of Assignor:	4C. FCC Registration Number (FRN) of Assignor:	
5. Legal Owner of Structure/Assignee First Name (if individual):	MI:	Last Name:	Suffix:
6. Business Name (if other than Individual): Radio Partners, LLC			
7. Attention To: Frank Iorio			
8. P.O. Box 719	And/Or	9. Street Address: 1316 7th Avenue	
10. City: Beaver Falls	11. State: PA	12. Zip Code: 15010-4217	
13. Telephone Number: (724)846-4100	14. E-Mail Address:		

Contact Representative Information

(If different from the Owner/Assignee)

15. First Name: Vincent	MI: A	Last Name: Pepper	Suffix: Esq
16. Business Name: Womble Carlyle Sandridge & Rice, PLLC			
17. P.O. Box:	And/Or	18. Street Address: 1401 I Street, NW, Seventh Floor	
19. City: Washington	20. State: DC	21. Zip: 20005-2225	
22. Telephone Number: (202)857-4560	23. E-Mail Address: vpepper@wcsr.com		

Antenna Structure

24. NAD83 Antenna Structure Latitude (DD-MM-SS.S): 41-48-50.0 N (N) N or S	25. NAD83 Antenna Structure Longitude (DDD-MM-SS.S): 079-10-03.0 W (W) W or E
--	---

26. Address or Geographical Location: 512 MOHAWK AVE EXT	
27. City: WARREN	28. State: PA
29. Elevation of site above mean sea level (refer to "a" in antenna structure examples): 573.0 meters	
30. Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples): 68.0 meters	
31. Overall height above mean sea level (sum total of items 29 and 30): 641.0 meters	
32. Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples): 67.0 meters	
33. Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions): TOWER -	
34-35. If type of structure is an Array, provide coordinates for center of the array below:	
34. NAD83 Array Center Latitude (DD-MM-SS.S): (N) or S	35. NAD83 Array Center Longitude (DDD-MM-SS.S): (W) or S

FAA Notification

36. FAA Study Number:	37. Date Issued (mm/dd/yy):
------------------------------	------------------------------------

Environmental Assessment

38. (No)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If \YES\, submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.
-----------------	--	---

Certification Statements

<p>1. The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.</p>
<p>2. The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. ? 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR ? 1.2002(b), for the definition of \party to the application\ as used in this certification.</p>

Signature

39. Typed or Printed Name of Party Authorized to Sign

First Name: Frank	MI:	Last Name: Iorio	Suffix:
40. Title: Sole Member			
41. Signature: Iorio , Frank		42. Date (mmdyy): 02/21/2006	
WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, ? 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, ? 503).			

CLOSE WINDOW

REFERENCE COPY

This is not an official FCC authorization. It is a record of public information contained in the FCC's Antenna Structure Registration database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC authorization, this document may not be used in place of an official FCC authorization.

United States of America Federal Communications Commission	
Antenna Structure Registration	
Owner: Radio Partners, LLC FCC Registration Number (FRN): 0004978763	

Radio Partners, LLC Attention To: Frank Iorio 1316 7th Avenue P.O. Box 719 Beaver Falls, PA 15010-4217	Registration Number: 1025455
	Issue Date: 02/21/2006
Location of Antenna Structure: 512 MOHAWK AVE EXT WARREN, PA	Ground Elevation (AMSL): 573.0 meters
	Overall Height Above Ground (AGL): 68.0 meters
Latitude: 41-48-50.0 N Longitude: 079-10-03.0 W NAD83	Overall Height Above Mean Sea Level (AMSL): 641.0 meters
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21	
Special Conditions:	

This registration is effective upon completion of the described antenna structure and notification to the Commission. YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT. Use FCC Form 854. To file electronically, connect to the Antenna Structure Registration system by pointing your web browser to <http://wireless.fcc.gov/antenna/>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna

structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)(h).

- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the Internet at <http://wireless.fcc.gov/antenna/> or call the FCC's National Call Center at 1-888-CALLFCC (1-888-225-5322).

We have estimated the third party burden requirement associated with this collection to be 1 hour. This requirement has been identified under OMB control number of 3060-0139.

Registration Number: 1025455

Issue Date:
FCC 854R

Obstruction Marking and Lighting Specifications for Antenna Structures

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1. Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width. All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3. There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11. At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed

visibility of at least one light at each level from aircraft at any normal angle of approach.

21. All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

CLOSE WINDOW

FCC 854 Main Form	FCC Application for Antenna Structure Registration	Approved by OMB 3060 - 0139 Est. Public Burden per Response: 30 minutes File Number: A0492633
------------------------------	---	---

Purpose of Filing

1. Purpose of this filing: Administrative Update
2A. For purpose codes of WD or AM , provide the file number of the pending application currently on file with the FCC: A0492633
2B. If purpose codes of MD, CA, AU, DI, NT, DU or OC provide FCC Antenna Structure Registration Number: 1025455
2C. If purpose code is MD or NT , provide date constructed or Last altered (mmddyyyy): 08/01/1951
2D. If purpose code is DI , give date of dismantlement (mmddyyyy):

Antenna Structure Ownership Information

3) Owner/Assignee FCC Registration Number (FRN): 0004978763			
4) Assignor FCC Registration Number (FRN): null			
5) Legal Owner of Structure/Assignee First Name (if individual):	Middle Initial:	Last Name:	Suffix:
6) Business Name (if other than Individual): Radio Partners, LLC			
7) Attention To: Frank Iorio			
8) P. O. Box: 719	And/Or	9) Street Address: 1316 7th Avenue	
10) City: Beaver Falls	11) State: PA	12) ZIP Code: 15010-4217	
13) Telephone Number: (724)846-4100			14) E-Mail Address:

Contact Representative Information (If the Owner/Assignee is a business or contact representative is different from the Owner/Assignee)

15) First Name: Vincent	MI: A	Last Name: Pepper	Suffix: Esq
16) Business Name: Womble Carlyle Sandridge & Rice, PLLC			
17) P.O. Box:	And/Or	18) Street Address: 1401 I Street, NW, Seventh Floor	
19) City: Washington	20) State: DC	21) Zip Code: 20005-2225	
22) Telephone Number: (202)857-4560		23) E-Mail Address: vpepper@wcsr.com	

Antenna Structure

24) NAD83 Antenna Structure Latitude (DD-MM-SS.S): 41-48-50.0 (N) N or S	25) NAD83 Antenna Structure Longitude (DDD-MM-SS.S): 79-10-3.0 (W) N or S
26) Address or Geographical Location: 512 MOHAWK AVE EXT	
27) City: WARREN	28) State: PA
29) Elevation of site above mean sea level (refer to "a" in antenna structure examples):	573.0 meters
30) Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples):	68.0 meters
31) Overall height above mean sea level (sum total of items 29 and 30):	641.0 meters
32) Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples):	67.0 meters
33) Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions): TOWER	

34-35) If type of structure is an Array, provide coordinates for center of the array below:	
34) NAD83 Array Center Latitude (DD-MM-SS.S): - (N) N or S	35) NAD83 Array Center Longitude (DDD-MM-SS.S): - (W) N or S

FAA Notification

36) FAA Study Number:	37) Date Issued (mmddyyyy):
-----------------------	-----------------------------

Environmental Assessment

38) (N)	Yes	Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If 'YES', submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.
	No	

Certification Statements

1) The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.
2) The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of 'party to the application' as used in this certification.

Signature

39) Typed or Printed Name of Party Authorized to Sign

First Name: Frank	MI:	Last Name: Iorio	Suffix:
40) Title: Sole Member			
41) Signature: Frank Iorio		42) Date (mmddyyyy): 02/21/2006	
WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, § 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, § 503).			