

Del Peris

UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION  
EXTENSION OR REPLACEMENT OF CONSTRUCTION PERMIT  
TV

Call Sign: KSMO-TV  
Location: KANSAS CITY, MO  
File No: BPCT-980209KG

KSMO LICENSEE, INC.  
2000 WEST 41ST STREET  
BALTIMORE, MD 21211

Grant Date: March 16, 1998  
Expiration Date: September 16, 1998

The Authority contained in Authorization File No. BPCT-950807KN (underlying construction permit), which was granted on February 8, 1996, is hereby granted an extension of time to construct.

The modification of construction permit shall be attached to and be made a part of the construction permit of this station.

Except as herein expressly modified, the above-mentioned construction permit, subject to all modifications heretofore granted by the Commission, is to continue in full force and effect in accordance with the terms and conditions thereof and for the period therein specified.

FEDERAL  
COMMUNICATIONS  
COMMISSION



*Clay Perdis*

ISSUED BY: SAYERS

F.C.C. WASHINGTON, D.C.

FCC Form 361  
October 1978



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**TELEVISION BROADCAST STATION**  
**CONSTRUCTION PERMIT**

Official Mailing Address:  
 -----

KANSAS CITY TV 62 LIMITED PARTNSHP.  
 18 NEWBURY STREET  
 BOSTON, MA 02116  
 -----

Authorizing Official:

*Clay C. Pendarvis*  
 -----

Clay C. Pendarvis  
 Chief  
 Video Services Division  
 Mass Media Bureau

Grant Date: 2/8/96

Call Sign: KSMO-TV

This permit expires 3:00 a.m.  
 local time, 24 months after  
 grant date specified above.

Permit File No.: BPCT-950807KN

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee:

KANSAS CITY TV 62 LIMITED PARTNERSHIP

Station Location:

MO-KANSAS CITY -

RECEIVED  
 FEB 11 1996

Frequency (MHz): 758.0 - 764.0

Carrier Frequency (MHz): 759.26 Visual 763.76 Aural

Channel: 062

Hours of Operation: Unlimited

Transmitter location (address or description):

21 STREET AND STARK AVENUE, VILLAGE OF BLUE

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Antenna type: (directional or non-directional): Directional

Description: ANDREW ATW25H4-HSC1-62S

Beam Tilt: 1.00 Degrees Electrical

Major lobe directions (degrees true): 320.0

Antenna Coordinates: North Latitude : 39 4 59  
West Longitude : 94 28 49

Transmitter output power.....: As required to achieve authorized ERP

Maximum effective radiated power (PEAK): 5000.0 kW  
: 37.0 DBK

Height of radiation center above ground.....: 348 Meters 1141

Height of radiation center above mean sea level.: 600 Meters 1968

Height of radiation center above average terrain: 340 Meters 1115

Overall height of antenna structure above ground  
(including obstruction lighting if any).....: 372 Meters 1220

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

PARAGRAPH 01.0, FCC FORM 715 (OCTOBER 1985):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100

feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

PARAGRAPH 03.0, FCC FORM 715 (APRIL 1985):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

PARAGRAPH 08.0, FCC FORM 715 (APRIL 1985):

On levels at approximately three-fourths, one-half and one-fourth of the over-all height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of the beacon from aircraft at any normal angle of approach. In the event these beacons cannot be installed in a manner to insure unobstructed visibility of the beacon from aircraft at any normal angle of approach, there shall be installed two such beacons at each level. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

PARAGRAPH 17.0, FCC FORM 715 (APRIL 1985):

On levels at approximately seven-eighths, five-eighths, three-eighths and one-eighth of the over-all height of the tower, at least one 116- or 125-watt lamp (A21/TS) enclosed in an aviation red obstruction light globe shall be installed on each outside corner of the structure.

PARAGRAPH 21.0, FCC FORM 715 (APRIL 1985):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Special operating conditions or restrictions:

1. Prior to construction of the tower authorized herein, permittee shall notify AM Station(s) listed below so that, if necessary, the AM station(s) may determine operating power by the indirect method and request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for the installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station(s). Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission.

(Revised March 14, 1983)

KCTE

\*\*\* END OF AUTHORIZATION \*\*\*

FIRST CLASS MAIL  
POSTAGE & FEES PAID  
FEDERAL  
COMMUNICATIONS  
COMMISSION  
PERMIT NO. G111

FEDERAL COMMUNICATIONS  
COMMISSION  
WASHINGTON, DC 20554

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

THIS IS TO NOTIFY YOU THAT YOUR  
APPLICATION FOR  
ASSIGNMENT OF CONSTRUCTION PERMIT AND  
LICENSE

WAS GRANTED ON 04-30-96


CHANNEL: 62

LOCATION: KANSAS CITY, MO

YOUR AUTHORIZATION WILL BE ISSUED IN  
THE NEAR FUTURE. POST THIS CARD PENDING  
ITS RECEIPT.

ALL INQUIRIES CONCERNING THIS APPLICATION  
SHOULD REFER TO PERMIT - 960205ID

KANSAS CITY TV 62 LTD. PARTNERSHIP  
KSMO-TV TV STATION  
18 NEWBURY STREET  
BOSTON, MA 02116



FCC 372 (495) NOTIFICATION

# ARTER & HADDEN

ATTORNEYS AT LAW

*founded 1843*

Cleveland  
Columbus  
Dallas

1801 K Street, N.W. / Suite 400K  
Washington, D.C. 20006-1301  
202/775-7100 *telephone*  
202/857-0172 *facsimile*

Irvine  
Los Angeles  
San Francisco

Howard M. Liberman  
Direct Dial Number: (202) 775-7150  
Internet: hliberma@arterhadden.com

February 13, 1996

Mr. James MacDonald  
KSMO-TV  
10 East Cambridge Circle  
Kansas City, KS 66103

Re: KSMO-TV  
Kansas City, MO

Dear Jim:

The FCC has granted the application we filed for a construction permit to increase KSMO-TV's visual ERP. Enclosed is a copy of the new construction permit. Be sure to post this permit at the location where your current license and other FCC authorizations are posted.

Sincerely,



Howard M. Liberman

Enclosure

cc (with enclosure)  
Royce Yudkoff  
David Birdsong

HML-03801



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**TELEVISION BROADCAST STATION**  
**CONSTRUCTION PERMIT**

Official Mailing Address:  
 -----

KANSAS CITY TV 62 LIMITED PARTNSHP.  
 18 NEWBURY STREET  
 BOSTON, MA 02116  
 -----

Authorizing Official:

*Clay C. Pendarvis*  
 -----

Clay C. Pendarvis  
 Chief  
 Video Services Division  
 Mass Media Bureau

Grant Date: 2/8/96

Call Sign: KSMO-TV

This permit expires 3:00 a.m.  
 local time, 24 months after  
 grant date specified above.

Permit File No.: BPCT-950807KN

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

This permit shall be automatically forfeited if the station is not ready for operation within the time specified (date of expiration) or within such further time as the Commission may allow, unless completion of the station is prevented by causes not under the control of the permittee. See Sections 73.3598, 73.3599 and 73.3534 of the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee:

KANSAS CITY TV 62 LIMITED PARTNERSHIP

Station Location:

MO-KANSAS CITY

COPY

Frequency (MHz): 758.0 - 764.0

Carrier Frequency (MHz): 759.26 Visual 763.76 Aural

Channel: 062

Hours of Operation: Unlimited

Transmitter location (address or description):

21 STREET AND STARK AVENUE, VILLAGE OF BLUE

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Antenna type: (directional or non-directional): Directional

Description: ANDREW ATW25H4-HSC1-62S

Beam Tilt: 1.00 Degrees Electrical

Major lobe directions (degrees true): 320.0

Antenna Coordinates: North Latitude :	39	4	59
West Longitude :	94	28	49

Transmitter output power.....: As required to achieve authorized ERP

Maximum effective radiated power (PEAK): 5000.0 kW  
: 37.0 DBK

Height of radiation center above ground.....: 348 Meters

Height of radiation center above mean sea level.: 600 Meters

Height of radiation center above average terrain: 340 Meters

Overall height of antenna structure above ground  
(including obstruction lighting if any).....: 372 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

PARAGRAPH 01.0, FCC FORM 715 (OCTOBER 1985):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100

feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

PARAGRAPH 03.0, FCC FORM 715 (APRIL 1985):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

PARAGRAPH 08.0, FCC FORM 715 (APRIL 1985):

On levels at approximately three-fourths, one-half and one-fourth of the over-all height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of the beacon from aircraft at any normal angle of approach. In the event these beacons cannot be installed in a manner to insure unobstructed visibility of the beacon from aircraft at any normal angle of approach, there shall be installed two such beacons at each level. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

PARAGRAPH 17.0, FCC FORM 715 (APRIL 1985):

On levels at approximately seven-eighths, five-eighths, three-eighths and one-eighth of the over-all height of the tower, at least one 116- or 125-watt lamp (A21/TS) enclosed in an aviation red obstruction light globe shall be installed on each outside corner of the structure.

PARAGRAPH 21.0, FCC FORM 715 (APRIL 1985):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Special operating conditions or restrictions:

1. Prior to construction of the tower authorized herein, permittee shall notify AM Station(s) listed below so that, if necessary, the AM station(s) may determine operating power by the indirect method and request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for the installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station(s). Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission.

(Revised March 14, 1983)

KCTE

\*\*\* END OF AUTHORIZATION \*\*\*

FIRST CLASS MAIL  
POSTAGE & FEES PAID  
FEDERAL  
COMMUNICATIONS  
COMMISSION  
PERMIT NO. G111


FEDERAL COMMUNICATIONS  
COMMISSION  
WASHINGTON, DC 20554  
OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

KANSAS CITY TV 62 LTD. PARTNERSHIP  
KSMO-TV TV STATION  
18 NEWBURY STREET  
BOSTON, MA 02116

THIS IS TO NOTIFY YOU THAT YOUR  
APPLICATION FOR  
ASSIGNMENT OF CONSTRUCTION PERMIT AND  
LICENSE  
WAS GRANTED ON 04-30-96  
CHANNEL: 62

LOCATION: KANSAS CITY, MO  
YOUR AUTHORIZATION WILL BE ISSUED IN  
THE NEAR FUTURE. POST THIS CARD FOLDING  
ITS RECEIPT.

ALL INQUIRIES CONCERNING THIS APPLICATION  
SHOULD REFER TO PERMIT 9602051D



FCC 872 (4/85) NOTIFICATION