

United States of America FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

Alpha 3E Licensee LLC Debtor-in-Possession	Son Nguyen	
1211 SW 5th Avenue	Supervisory Engineer	
Suite 750	Audio Division	
Portland OR 97204	Media Bureau	
	Grant Date: March 19, 2001	
Facility Id: 60856	This license expires 3:00 a local time, April 01, 2005.	
Call Sign: KWAT		

License File Number: BZ-20000214ABO

DM due to STA operation

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	8:00 AM	5:15 PM	Jul. 5:00 AM	8:15 PM
Feb.	7:30 AM	6:00 PM	Aug. 5:30 AM	7:30 PM
Mar.	6:45 AM	6:30 PM	Sep. 6:00 AM	6:45 PM
Apr.	5:45 AM	7:15 PM	Oct. 6:45 AM	5:45 PM
Мау	5:00 AM	7:45 PM	Nov. 7:30 AM	5:00 PM
Jun.	4:45 AM	8:15 PM	Dec. 8:00 AM	4:45 PM

.m.

Callsign: KWAT License No.: BZ-20000214ABO Name of Licensee: Alpha 3E Licensee LLC Debtor-in-Possession Station Location: WATERTOWN, SD Frequency (kHz): 950 Station Class: B Antenna Coordinates: Day Ν 44 Deg 52 Min 12 Sec Latitude: 97 Deg 06 Min Longitude: W 49 Sec Night 44 Deg 52 Min Latitude: Ν 12 Sec 97 Deg 06 Min 49 Sec Longitude: W Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Nominal Power (kW): Day: 1.0 Night: 1.0 Antenna Input Power (kW): Day: 1.0 Night: 1.08 Antenna Mode: Day: ND Night: DA (DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours) Day: 4.47 Night: 4.65 Current (amperes): Resistance (ohms): Day: 50 Night: 50 Non-Directional Antenna: Day Radiator Height: 79.2 meters; 90.3 deg Theoretical Efficiency: 307.38 mV/m/kw at 1km Antenna Registration Number(s): Day: Tower No. ASRN Overall Height (m) 1042186 1 Night: Tower No. ASRN Overall Height (m) 1 1042186 2 1042187

Callsign: KWAT			L	License No.: BZ-20000214ABO		
DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM						
Theoretical RMS (m ^v	V/m/km):		Night	: 304.17		
Standard RMS (mV/m/km):		Night:	Night:			
Augmented RMS (mV/m/km):						
Q Factor:			Night:			
Theoretical Parameters:						
Night Directional	Antenna:					
Tower Field No. Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)	
1 1.0000	0.000	0.0000	0.000	0	90.3	
2 0.7400	-144.300	90.0000	345.000	0	90.3	
* Tower Reference			_			

 $\ensuremath{\texttt{0}}$ = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	72.0	14.0	217.15
2	85.5	27.0	128.75
3	99.0	26.0	88.51
4	112.0	26.0	128.75
5	165.0	10.0	276.94
6	175.0	20.0	272.85
7	218.0	26.0	125.53
8	231.0	20.0	88.51
9	241.0	20.0	112.65
10	286.0	22.0	385.53

Night Directional Operation:

	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	-140	0.744

Antenna Monitor: Potomac Instruments Am-19D (210) S/N 1601

Sampling System Approved Under Section 73.68 of the Rules.

Monitoring Points:

Night Operation:

Radial Distance (Deg. T)	From Transmitter Maximum (kM)	Field Strength (mV/m)
72	6.97	30
99	6.63	12.36
231	5.39	15.5
286	4.59	56

*** END OF AUTHORIZATION ***