FEDERAL COMMUNICATIONS COMMISSION 445 TWELFTH STREET SW WASHINGTON DC 20554

MEDIA BUREAU AUDIO DIVISION

APPLICATION STATUS: (202) 418-2730 HOME PAGE: www.fcc.gov/mb/audio/

ENGINEER: CHARLES N. (NORM) MILLER

TELEPHONE: (202) 418-2767 FACSIMILE: (202) 418-1410 E-MAIL: charles.miller@fcc.gov

November 16, 2006

(Reissued November 28, 2006, to correct date of grant)

Brian M. Madden, Esq. Leventhal, Senter & Lerman, PLLC 2000 K Street NW, Suite 600 Washington, DC 20006-1809

Re:

KGON (FM), Portland, Oregon Facility Identification Number: 2432

Entercom Portland License, LLC Special Temporary Authority Hybrid IBOC Digital Operation

Dear Counsel:

This is in reference to the request filed November 6, 2006, on behalf of Entercom Portland License, LLC ("Entercom"). Entercom requests further extension of special temporary authority ("STA") to operate Station KGON with a hybrid digital signal, pursuant to the *First Report and Order* in MM Docket No. 99-325 ("*Report and Order*"). Entercom proposes operation with separate analog and digital antennas, pursuant to the Public Notice issued March 17, 2004 ("Public Notice"). Our review indicates that the proposed operation complies with the requirements of the Public Notice.

Accordingly, the request for extension of STA IS HEREBY GRANTED. Station KGON may operate with a hybrid digital signal as defined in the *Report and Order*. The digital signal will be transmitted via licensed auxiliary antenna BLH-19920904KA. The digital transmitter power

¹ KGON is licensed for analog operation on Channel 222C (92.3 MHz) with effective radiated power of 100 kilowatts (H&V) and antenna height above average terrain of 386 meters.

² Digital Audio Broadcasting Systems and Their Impact on the Terrestrial Radio Broadcast Service, MM Docket No. 99-325, First Report and Order, (October 11, 2002).

³ Public Notice, "Use of Separate Antennas to Initiate Digital FM Transmissions Approved", MM Docket No. 99-325, DA 04-712 (October 17, 2004).

⁴ See Report and Order, Appendix B.

output will be 0.875 kilowatt. The analog transmitter power output will be 37 kilowatts. Entercom must use whatever means are necessary to protect workers and the public from exposure to radio frequency radiation in excess of the Commission's exposure guidelines; See 47 CFR § 1.1310. Pursuant to 47 CFR Section 73.1635(b), this authority may be modified or cancelled by the Commission without notice or right to hearing. Entercom must post a copy of this authority with the station license. Any subsequent modification of the licensed analog facilities will require a modification of this authority.

This authority expires on May 16, 2007.

Sincerely,

Charles N. Miller, Engineer

Audio Division Media Bureau

cc: Entercom Portland License, LLC



Help | Home

Application Search Details

File Number:

BDSTA-20041006AFA

Call Sign:

KGON

Facility Id:

2432

FRN:

Applicant Name:

ENTERCOM PORTLAND LICENSE, LLC (DE)

Frequency:

Channel:

Community of

PORTLAND, OR

License:

Application Type:

SPECIAL TEMPORARY AUTHORITY

Status:

GRANTED

Status Date:

10/14/2004

Expiration Date:

04/14/2005

Tolling Code:

Application Service:

FD

Disposed Date:

10/14/2004

Accepted Date:

10/14/2004

Last Public Notice:

Last Report Number:

Authorization

Authorization not available

Legal Actions

View Legal Actions

PN Comment

Public Notice Comment



Help | Home

Application Search Details

File Number:

BDSTA-20041006AFA

Call Sign:

KGON

Facility Id:

2432

FRN:

Applicant Name:

ENTERCOM PORTLAND LICENSE, LLC (DE)

Frequency:

Channel:

Community of

PORTLAND, OR

License:

SPECIAL TEMPORARY AUTHORITY

Application Type: Status:

GRANTED

Status Date:

10/14/2004

Expiration Date:

04/14/2005

Tolling Code:

Application Service:

FD

Disposed Date:

10/14/2004

Accepted Date:

10/14/2004

Last Public Notice:

Last Report Number:

Authorization

Authorization not available


Legal Actions

View Legal Actions

PN Comment

Public Notice Comment

Spectrum Analyzer



RBW: 1 kHz Min Sweep Time: 50.00 Micro Sec

CF: 92.3 MHz

Detection: Sampling Mode

Attenuation: 18 dB

SPAN: 2.00 MHz VBW: 300 Hz

Average: 25