



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

ENTERCOM KANSAS CITY LICENSE, LLC
 401 CITY AVENUE
 SUITE 809
 BALA CYNWYD PA 19004

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 73938

Call Sign: KYYS

License File Number: BL-19980820AC

Grant Date: December 28, 1998

This license expires 3:00 a.m.
 local time, June 01, 2005.

This license covers Permit No.: 951109AC
 This license is reissued to correct the main studio location.
 EAL1-6-99.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

| | | | | | |
|------|---------|---------|------|---------|---------|
| Jan. | 7:30 AM | 5:15 PM | Jul. | 5:00 AM | 7:45 PM |
| Feb. | 7:15 AM | 6:00 PM | Aug. | 5:30 AM | 7:15 PM |
| Mar. | 6:30 AM | 6:30 PM | Sep. | 6:00 AM | 6:30 PM |
| Apr. | 5:45 AM | 7:00 PM | Oct. | 6:30 AM | 5:45 PM |
| May | 5:00 AM | 7:30 PM | Nov. | 7:00 AM | 5:00 PM |
| Jun | 4:45 AM | 7:45 PM | Dec | 7:30 AM | 5:00 PM |

Call sign: KYYS

License No.: BL-19980820AC

Name of Licensee: ENTERCOM KANSAS CITY LICENSE, LLC

Station Location: KANSAS CITY, KS

Frequency (kHz): 1250

Station Class: B

Antenna Coordinates:

Night

Latitude: N 39 Deg 11 Min 06 Sec

Longitude: W 94 Deg 27 Min 28 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Night: 3.7

Antenna Input Power (kW): Night: 4.0

Antenna Mode: Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Night: 8.94

Resistance (ohms): Night: 50

Antenna Registration Number(s):

Night:

| Tower No. | ASRN | |
|-----------|------|------|
| 1 | None | 61 |
| 2 | None | 61 |
| 3 | None | 45.7 |
| 4 | None | 45.7 |

Callsign: KYYS

License No.: BL-19980820AC

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Night: 543.08

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Night: 573.67

Q Factor: Night: 19.24

Theoretical Parameters:

Night Directional Antenna:

| Tower No. | Field Ratio | Phasing (Deg.) | Spacing (Deg.) | Orientation (Deg.) | Tower Ref Switch * | Height (Deg.) |
|-----------|-------------|----------------|----------------|--------------------|--------------------|---------------|
| 1 | 1.0000 | 0.000 | 0.0000 | 0.000 | 0 | 90.0 |
| 2 | 0.7300 | 94.900 | 104.0000 | 69.000 | 0 | 90.0 |
| 3 | 0.8550 | 85.100 | 229.0000 | 16.800 | 0 | 67.0 |
| 4 | 0.7530 | -16.300 | 207.5000 | 1.300 | 0 | 67.0 |

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

| Aug No. | Central Azimuth (Deg. T) | Span (Deg.) | Radiation at Central Azimuth (mV/m @ 1 km) |
|---------|--------------------------|-------------|--|
| 1 | 4.0 | 50.0 | 210.00 |
| 2 | 77.0 | 84.0 | 126.00 |
| 3 | 316.5 | 37.0 | 415.00 |
| 4 | 335.0 | 37.0 | 96.00 |

Night Directional Operation:

| Twr. No. | Phase (Deg.) | Antenna Monitor Sample Current Ratio |
|----------|--------------|--------------------------------------|
| 1 | 14 | |
| 2 | 96 | |
| 3 | 98 | |
| 4 | 0 | |

Night Operation:

| Radial (Deg. T) | Distance From Transmitter (kM) | Maximum Field Strength (mV/m) |
|-----------------|--------------------------------|-------------------------------|
| 77 | 5.05 | |
| 153.5 | 3.7 | |
| 206 | 3.77 | |
| 335 | 4.2 | |

*** END OF AUTHORIZATION ***