

Federal Communications Commission

Before the
Federal Communications Commission
Washington, D.C. 20554

In the Matter of)	
)	
Bloomberg Communications Inc.)	File No. EB-08-NY-0124
)	File No. EB-08-NY-0125
ASR # 1046011, 1046012, 1046013, 1046014)	File No. EB-08-NY-0126
)	File No. EB-08-NY-0127
)	
Carlstadt, NJ)	NOV No. V200832380021

NOTICE OF VIOLATION

Released: April 9, 2008

By the District Director, New York Office, Northeast Region, Enforcement Bureau:

1. This is a Notice of Violation (“Notice”) issued pursuant to Section 1.89 of the Commission’s Rules¹ to Bloomberg Communications Inc. (“Bloomberg Communications”), owner of antenna structures 1046011, 1046012, 1046013, 1046014 in Carlstadt, NJ.
2. On April 2, 2008, agents of the Commission’s New York Office inspected antenna structures # 1046011, 1046012, 1046013, 1046014 located at One Metro Road, Carlstadt, NJ 07072, and observed the following violation:
 - a. 47 C.F.R. § 17.57: “: “The owner of an antenna structure for which an Antenna Structure Registration Number has been obtained must notify the Commission within 24 hours of completion of construction (FCC Form 854-R) and/or dismantlement (FCC Form 854). The owner must also immediately notify the Commission using FCC Form 854 upon any change in structure height or change in ownership information.” According to the ASRs, Antenna Structure Registration Numbers 1046011, 1046012, 1046013, 1046014 still show “granted” status. In order to come into compliance with the Commission’s rules, Bloomberg Communications should file FCC Form 854 notifying the Commission that the tower has been constructed.
3. Pursuant to Section 403 of the Communications Act of 1934, as amended,² and Section 1.89 of the Commission’s Rules, Bloomberg Communications must submit a written statement concerning this matter within twenty (20) days of release of this Notice. The

¹47 C.F.R. § 1.89.

²47 U.S.C. § 308(b).

Federal Communications Commission

response must fully explain each violation, must contain a statement of the specific action(s) taken to correct each violation and preclude recurrence, and should include a time line for completion of pending corrective action(s). The response must be complete in itself and signed by a principal or officer of Bloomberg Communications. All replies and documentation sent in response to this Notice should be marked with the File No. and NOV No. specified above, and mailed to the following address:

Federal Communications Commission
New York Office
201 Varick Street, Suite 1151
New York, NY 10014

4. This Notice shall be sent to Bloomberg Communications Inc. at its address of record.
5. The Privacy Act of 1974³ requires that we advise you that the Commission will use all relevant material information before it, including any information disclosed in your reply, to determine what, if any, enforcement action is required to ensure compliance. Any false statement made knowingly and willfully in reply to this Notice is punishable by fine or imprisonment under Title 18 of the U.S. Code.⁴

FEDERAL COMMUNICATIONS COMMISSION

Daniel W. Noel
District Director
New York District Office
Northeast Region
Enforcement Bureau

³P.L. 93-579, 5 U.S.C. § 552a(e)(3).

⁴18 U.S.C. § 1001 *et seq.*

WILLKIE FARR & GALLAGHER

RICHARD K. DESCHERER
212 728 8213
rdescherer@willkie.com

787 Seventh Avenue
New York, NY 10019-6099
Tel: 212 728 8000
Fax: 212 728 8111

April 25, 2008

VIA FEDERAL EXPRESS

Federal Communications Commission
New York Office
201 Varick Street, Suite 1151
New York, NY 10014

ATTN: Daniel W. Noel
District Director
New York District Office
Northeast Region
Enforcement Bureau

**Re: File Nos. EB-08-NY-0124, EB-08-NY-0125, EB-08-NY-0126, EB-08-NY-0127
ASR Nos. 1046011, 1046012, 1046013, 1046014
Notice of Violation, NOV No. V200832380021**

Dear Mr. Noel:

Pursuant to Section 1.89 of the Commission's rules,¹ Bloomberg Communications Inc. ("Bloomberg") hereby responds to the above-referenced Notice of Violation ("NOV"). The NOV was released on April 9, 2008 (NOV No. V200832380021) for alleged violations of Section 17.57 of the Commission's rules² for failure to notify the Commission "within 24 hours of completion of construction . . . and/or dismantlement" of an antenna structure or "upon any change in structure height or change in ownership information."³

Bloomberg maintains that it has not violated any Commission rule since none of the events that trigger the notice requirement of Section 17.57 have occurred. Specifically, there has been no tower

¹ 47 C.F.R. § 1.89.

² *Id.* § 17.57.

³ See *In re Bloomberg Communications Inc.*, File Nos. EB-08-NY-0124, EB-08-NY-0125, EB-08-NY-0126, and EB-08-NY-0127, Notice of Violation ¶ 2 (Enf. Bur., New York City Office, released Apr. 9, 2008) ("NOV").

construction, no tower dismantlement, no change in the tower structure height, and no change in tower ownership information.

In the fall of 2007, Bloomberg discovered a typographical error in the above-referenced antenna structure registrations (“ASRs”). Specifically, the geographical location description on each ASR read: “ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 &20”. The proper address is One Metro Road, but is more accurately described as 1.8 miles east of the junction of Routes 3 and 120. All other information contained in the ASRs was accurate, including the latitude and longitude of the location. Bloomberg proceeded to correct this typographical error in order to keep the ASR information at the Commission accurate.

However, this correction could not be accomplished through the administrative update procedure in the ASR online filing system. Thus, Bloomberg’s counsel sought assistance of the FCC’s staff through the ULS Help Line. The FCC staff confirmed that the typographical error could not be corrected through the administrative update procedure, and advised that Bloomberg file modifications of the ASRs using Form 854 to correct the typo. FCC staff gave no indication that a construction notice would also have to be filed. On October 16, 2007, Bloomberg filed modifications using Form 854 (File Nos. A0566348, A0566349, A0566350, and A0566352) wherein the geographical location description on each ASR was revised to read: “ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 & 120”. The modification applications were granted on October 16, 2007 (see attached). There was no indication that a construction notice had to be filed since no construction was undertaken and Bloomberg was just correcting a typo on the ASRs.


On April 2, 2008, the WBBR-AM transmitter site was inspected by the FCC. The field agent queried whether Bloomberg had filed construction notifications for the ASRs. Bloomberg contacted its counsel who, in turn, sought assistance of FCC staff via the ULS Help Line on April 4, 2008. Bloomberg’s counsel was told that because ASR modifications were filed, Bloomberg must file a construction notification on Form 854 to complete the electronic process to update the FCC’s ULS database. The FCC staff person indicated that the ULS electronic filing system automatically looks for a construction notice, even though the modification was filed to correct a typo and there was no related construction. She advised Bloomberg’s counsel that Bloomberg should file a construction notice using Form 854 indicating the original date of construction or alteration so that the ULS process would be complete. Bloomberg filed the requested construction notifications using Form 854 on April 22, 2008 (File Nos. A0591718, A0591719, A0591720, and A0591721) and indicated December 11, 1967 as its date of construction (see attached).

Bloomberg has not violated any FCC rule or regulation. It merely sought to correct a typo in its ASRs. To correct this typo, Bloomberg took actions in accordance with advice it received from FCC staff.

For the reasons discussed above, Bloomberg respectfully requests that the Bureau dismiss the NOV and take no further action against Bloomberg.

If you have any questions about this matter please do not hesitate to contact me at (212) 728-8213 or Karl Kilb at (212) 617-2371.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Richard K DeScherer". The signature is fluid and cursive, written over the printed name.

Richard K DeScherer
Director, Bloomberg Communications Inc.

Attachments

cc: Karl Kilb, Bloomberg

Attachments



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION**



OWNER: BLOOMBERG COMMUNICATIONS INC.

FCC Registration Number (FRN): 0004266839

ATTN: KARL KILB BLOOMBERG COMMUNICATIONS INC. 731 LEXINGTON AVENUE NEW YORK, NY 10022	Antenna Structure Registration Number	1046014
	Issue Date	10-16-2007
Location of Antenna Structure TWR 4 - ONE METRO ROAD, 1.8 MI E OF JUNC CARLSTADT, NJ	Ground Elevation (AMSL)	1.9 meters
	Overall Height Above Ground (AGL)	77.7 meters
Latitude 40-48-40.0 N	Longitude 074-02-20.0 W	Overall Height Above Mean Sea Level (AMSL) 79.6 meters NAD83
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21		
Conditions:		

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <http://wireless.fcc.gov/antenna>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna structure must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at <http://wireless.fcc.gov/antenna> or call (877) 480-3201 (TTY 717-338-2824).

Registration #: 1046014

Issue Date: 10-16-2007

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1 Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width.

All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3 There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11 At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION**



OWNER: BLOOMBERG COMMUNICATIONS INC.

FCC Registration Number (FRN): 0004266839

ATTN: KARL KILB BLOOMBERG COMMUNICATIONS INC. 731 LEXINGTON AVENUE NEW YORK, NY 10022	Antenna Structure Registration Number 1046013						
	Issue Date 10-16-2007						
Location of Antenna Structure TWR 3 - ONE METRO ROAD, 1.8 MI E OF JUNC CARLSTADT, NJ	Ground Elevation (AMSL) 1.9 meters						
	Overall Height Above Ground (AGL) 77.7 meters						
<table border="0"> <tr> <td>Latitude</td> <td>Longitude</td> <td>NAD83</td> </tr> <tr> <td>40-48-40.0 N</td> <td>074-02-23.0 W</td> <td></td> </tr> </table>	Latitude	Longitude	NAD83	40-48-40.0 N	074-02-23.0 W		Overall Height Above Mean Sea Level (AMSL) 79.6 meters
Latitude	Longitude	NAD83					
40-48-40.0 N	074-02-23.0 W						
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21							
Conditions:							

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <http://wireless.fcc.gov/antenna>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna structure must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at <http://wireless.fcc.gov/antenna> or call (877) 480-3201 (TTY 717-338-2824).

Registration #: 1046013

Issue Date: 10-16-2007

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1 Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width.

All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3 There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11 At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION**



OWNER: BLOOMBERG COMMUNICATIONS INC.

FCC Registration Number (FRN): 0004266839

ATTN: KARL KILB BLOOMBERG COMMUNICATIONS INC. 731 LEXINGTON AVENUE NEW YORK, NY 10022	Antenna Structure Registration Number	1046012
	Issue Date	10-16-2007
Location of Antenna Structure TWR 2 - ONE METRO ROAD, 1.8 MI E OF JUNC CARLSTADT, NJ	Ground Elevation (AMSL)	1.9 meters
	Overall Height Above Ground (AGL)	77.7 meters
Latitude 40-48-38.0 N	Longitude 074-02-26.0 W	Overall Height Above Mean Sea Level (AMSL) 79.6 meters
NAD83		
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 11, 21		
Conditions:		

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <http://wireless.fcc.gov/antenna>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and *display* your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna structure must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at <http://wireless.fcc.gov/antenna> or call (877) 480-3201 (TTY 717-338-2824).

Registration #: 1046012

Issue Date: 10-16-2007

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1 Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width.

All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3 There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

11 At the approximate midpoint of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
ANTENNA STRUCTURE REGISTRATION



OWNER: BLOOMBERG COMMUNICATIONS INC.

FCC Registration Number (FRN): 0004266839

ATTN: KARL KILB BLOOMBERG COMMUNICATIONS INC. 731 LEXINGTON AVENUE NEW YORK, NY 10022	Antenna Structure Registration Number 1046011
	Issue Date 10-16-2007
Location of Antenna Structure TWR 1 - ONE METRO ROAD, 1.8 MI E OF JUNC CARLSTADT, NJ	Ground Elevation (AMSL) 1.9 meters
	Overall Height Above Ground (AGL) 135.0 meters
Latitude Longitude 40-48-38.0 N 074-02-23.0 W NAD83	Overall Height Above Mean Sea Level (AMSL) 136.9 meters
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 12, 21	
Conditions:	

This registration is effective upon completion of the described antenna structure and notification to the Commission. **YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854.** To file electronically, connect to the antenna structure registration system by pointing your web browser to <http://wireless.fcc.gov/antenna>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and *display* your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- **Posting the Registration Number:** The Antenna Structure Registration Number must be displayed in a conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- **Inspecting lights and equipment:** The obstruction lighting must be observed at least every 24 hours in order to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at least once every three months.
- **Reporting outages and malfunctions:** When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- **Maintaining assigned painting:** The antenna structure must be repainted as often as necessary to maintain good visibility.
- **Complying with environmental rules:** If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- **Updating information:** The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at <http://wireless.fcc.gov/antenna> or call (877) 480-3201 (TTY 717-338-2824).

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

1 Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width.

All towers shall be cleaned or repainted as often as necessary to maintain good visibility.

3 There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

12 On levels at approximately two-thirds and one-third of the overall height of the tower, there shall be installed at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes. Each light shall be mounted so as to insure unobstructed visibility of at least one light at each level from aircraft at any normal angle of approach.

21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

REFERENCE COPY

This copy is intended to be used as a reference copy only and MAY NOT be submitted to the FCC as an application for manual filing.

FCC 854 Main Form

FCC Application for Antenna Structure Registration

Approved by OMB

3060 - 0139

Est. Public Burden per Response: 30 minutes

File Number: A0591718

Purpose of Filing

1. Purpose of this filing: Notification

2A. For purpose codes of **WD** or **AM**, provide the file number of the pending application currently on file with the FCC

2B. For purpose codes of **MD**, **CA**, **AU**, **DI**, **NT**, **DU** or **OC** provide FCC Registration Number: **1046011**

2C. If purpose code is **MD** or **NT**, provide date constructed or Last altered (mm/dd/yy): **12/11/1967**

2D. If purpose code is **DI**, give date of dismantlement (mm/dd/yy)

Antenna Structure Ownership Information

3A. FCC ID of Owner/Assignee
L00313655

3B. Sub-Group Identification Number (SGIN) of Owner/Assignee: **000**

3C. FCC Registration Number (FRN) of Owner/Assignee: **0004266839**

4A. FCC ID of Assignor (for purpose code OC only):

4B. Sub-Group Identification Number (SGIN) of Assignor:

4C. FCC Registration Number (FRN) of Assignor:

5. Legal Owner of Structure/Assignee First Name (if individual)

MI:

Last Name:

Suffix:

6. Business Name (if other than Individual): **Bloomberg Communications Inc.**

7. Attention To: **Karl Kilb**

8. P O Box

And/Or

9. Street Address: **731 Lexington Avenue**

10. City: **New York**

11. State: **NY**

12. Zip Code: **10022**

13. Telephone Number: **(212)318-2000**

14. E-Mail Address: **kkilb@bloomberg.net**

Contact Representative Information

(If different from the Owner/Assignee)

15. First Name _____ MI _____ Last Name _____ Suffix _____
 16. Business Name _____
 17. P O Box _____ And/Or _____ 18. Street Address _____
 19. City _____ 20. State _____ 21. Zip _____
 22. Telephone Number _____ 23. E-Mail Address _____

Antenna Structure

24. NAD83 Antenna Structure Latitude (DD-MM-SS S): 40-48-38.0 N (N) N or S 25. NAD83 Antenna Structure Longitude (DDD-MM-SS S): 074-02-23.0 W (W) W or E
 26. Address or Geographical Location. TWR 1 - ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 & 120
 27. City CARLSTADT 28. State NJ
 29. Elevation of site above mean sea level (refer to "a" in antenna structure examples): 1.9 meters
 30. Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples) 135.0 meters
 31. Overall height above mean sea level (sum total of items 29 and 30) 136.9 meters
 32. Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples) 134.1 meters
 33. Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions) 4TA1 -
 34-35. If type of structure is an Array, provide coordinates for center of the array below.
 34. NAD83 Array Center Latitude (DD-MM-SS S): 40-48-39.0 N (N) N or S 35. NAD83 Array Center Longitude (DDD-MM-SS S): 074-02-24.0 W (W) W or S

FAA Notification

36. FAA Study Number 89-AEA-0555-OE1 37. Date Issued (mm/dd/yy) 01/23/1989

Environmental Assessment

38. (No) Yes No Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If \"YES\", submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.

Certification Statements

1. The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith

2. The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules 47 CFR § 1.2002(b) for the definition of 'party to the application' as used in this certification

Signature

39. Typed or Printed Name of Party Authorized to Sign

First Name **Richard** MI **K** Last Name **DeScherer** Suffix

40. Title Director

41. Signature DeScherer , Richard K **42. Date (mmddyy): 04/22/2008**

WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, § 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, § 503)

CLOSE WINDOW

FCC 854
Main FormApproved by OMB
3060 - 0139
Est. Public Burden per
Response: 30 minutes**FCC Application for Antenna Structure
Registration**File Number:
A0591719**Purpose of Filing**

- 1 Purpose of this filing: **Notify that an antenna structure has been constructed**
- 2A. For purpose codes of **WD** or **AM**, provide the file number of the pending application currently on file with the FCC: **A0591719**
- 2B. If purpose codes of **MD**, **CA**, **AU**, **DI**, **NT**, **DU** or **OC** provide FCC Antenna Structure Registration Number: **1046012**
- 2C. If purpose code is **MD** or **NT**, provide date constructed or Last altered (mmddyyyy): **12/11/1967**
- 2D. If purpose code is **DI**, give date of dismantlement (mmddyyyy):

Antenna Structure Ownership Information

- 3) Owner/Assignee FCC Registration Number (FRN): **0004266839**
- 4) Assignor FCC Registration Number (FRN): **null**
- 5) Legal Owner of Structure/Assignee First Name (if individual): Middle Initial: Last Name: Suffix:
- 6) Business Name (if other than Individual): **Bloomberg Communications Inc.**
- 7) Attention To: **Karl Kilb**
- 8) P. O. Box: And/Or 9) Street Address: **731 Lexington Avenue**
- 10) City: **New York** 11) State: **NY** 12) ZIP Code: **10022**
- 13) Telephone Number: **(212)318-2000** 14) E-Mail Address: **kkilb@bloomberg.net**

Contact Representative Information (If the Owner/Assignee is a business or contact representative is different from the Owner/Assignee)

- 15) First Name: MI: Last Name: Suffix:
- 16) Business Name:
- 17) P. O. Box: And/Or 18) Street Address:
- 19) City: 20) State: 21) Zip Code:
- 22) Telephone Number: 23) E-Mail Address:

Antenna Structure

- 24) NAD83 Antenna Structure Latitude (DD-MM-SS.S): **40-48-38.0 (N)N or S** 25) NAD83 Antenna Structure Longitude (DDD-MM-SS.S): **74-2-26.0 (W)N or S**
- 26) Address or Geographical Location: **TWR 2 - ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 & 120**
- 27) City: **CARLSTADT** 28) State: **NJ**

29) Elevation of site above mean sea level (refer to "a" in antenna structure examples): **1.9 meters**

30) Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples): **77.7 meters**

31) Overall height above mean sea level (sum total of items 29 and 30): **79.6 meters**

32) Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples): **76.8 meters**

33) Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions) **4TA2**

34-35) If type of structure is an Array, provide coordinates for center of the array below:

34) NAD83 Array Center Latitude (DD-MM-SS.S): **40-48-39.0 (N) N or S**

35) NAD83 Array Center Longitude (DDD-MM-SS.S): **74-2-24.0 (W) N or S**

FAA Notification

36) FAA Study Number: **89-AEA-0555-OE2**

37) Date Issued (mmddyyyy): **01/23/1989**

Environmental Assessment

38) (N) Yes No

Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If 'YES', submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.

Certification Statements

- 1) The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.
- 2) The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR § 1.2002(b) for the definition of 'party to the application' as used in this certification.

Signature

39) Typed or Printed Name of Party Authorized to Sign

First Name: **Richard** MI: **K** Last Name: **DeScherer** Suffix:

40) Title: **Director**

41) Signature: **Richard K DeScherer** 42) Date (mmddyyyy): **04/22/2008**

WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, § 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, § 503).

FCC 854
Main Form

Approved by OMB
3060 - 0139
Est. Public Bureau per
Response: 30 minutes

FCC Application for Antenna Structure Registration

File Number:
A0591720

Purpose of Filing

1. Purpose of this filing: **Notify that an antenna structure has been constructed**
- 2A. For purpose codes of **WD** or **AM**, provide the file number of the pending application currently on file with the FCC: **A0591720**
- 2B. If purpose codes of **MD**, **CA**, **AU**, **DI**, **NT**, **DU** or **OC** provide FCC Antenna Structure Registration Number: **1046013**
- 2C. If purpose code is **MD** or **NT**, provide date constructed or Last altered (mmddyyyy): **12/11/1967**
- 2D. If purpose code is **DI**, give date of dismantlement (mmddyyyy):

Antenna Structure Ownership Information

- 3) Owner/Assignee FCC Registration Number (FRN): **0004266839**
- 4) Assignor FCC Registration Number (FRN): **null**
- 5) Legal Owner of Structure/Assignee First Name (if individual): Middle Initial: Last Name: Suffix:
- 6) Business Name (if other than Individual): **Bloomberg Communications Inc.**
- 7) Attention To: **Karl Kilb**
- 8) P. O. Box: And/Or 9) Street Address: **731 Lexington Avenue**
- 10) City: **New York** 11) State: **NY** 12) ZIP Code: **10022**
- 13) Telephone Number: (212)318-2000 14) E-Mail Address: **kkilb@bloomberg.net**

Contact Representative Information (If the Owner/Assignee is a business or contact representative is different from the Owner/Assignee)

- 15) First Name: MI: Last Name: Suffix:
- 16) Business Name:
- 17) P. O. Box: And/Or 18) Street Address:
- 19) City: 20) State: 21) Zip Code:
- 22) Telephone Number: 23) E-Mail Address:

Antenna Structure

- 24) NAD83 Antenna Structure Latitude (DD-MM-SS S): **40-48-40.0 (N)N or S** 25) NAD83 Antenna Structure Longitude (DDD-MM-SS S): **74-2-23.0 (W)N or S**
- 26) Address or Geographical Location: **TWR 3 - ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 & 120**
- 27) City: **CARLSTADT** 28) State: **NJ**

- 29) Elevation of site above mean sea level (refer to "a" in antenna structure examples). **1.9 meters**
- 30) Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples). **77.7 meters**
- 31) Overall height above mean sea level (sum total of items 29 and 30): **79.6 meters**
- 32) Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples): **76.8 meters**
- 33) Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions): **4TA3**
- 34-35) If type of structure is an Array, provide coordinates for center of the array below.
- 34) NAD83 Array Center Latitude (DD-MM-SS.S) **40-48-39.0 (N)N or S**
- 35) NAD83 Array Center Longitude (DDD-MM SS S) **74-2-24.0 (W)N or S**

FAA Notification

- 36) FAA Study Number: **89-AEA-0555-OE3**
- 37) Date Issued (mmddyyyy): **01/23/1989**

Environmental Assessment

- 38) (N) Yes
 No
- Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If 'YES', submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.

Certification Statements

- 1) The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.
- 2) The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of 'party to the application' as used in this certification.

Signature

- 39) Typed or Printed Name of Party Authorized to Sign

First Name: **Richard** MI **K** Last Name: **DeScherer** Suffix

40) Title: **Director**

41) Signature: **Richard K DeScherer** 42) Date (mmddyyyy): **04/22/2008**

WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, § 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, § 503).

FCC 854
Main Form

FCC Application for Antenna Structure
Registration

Approved by OMB
3060 - 0139
Est. Public Burden per
Response: 30 minutes

File Number:
A0591721

Purpose of Filing

- 1 Purpose of this filing: **Notify that an antenna structure has been constructed**
- 2A For purpose codes of **WD** or **AM**, provide the file number of the pending application currently on file with the FCC: **A0591721**
- 2B. If purpose codes of **MD**, **CA**, **AU**, **DI**, **NT**, **DU** or **OC** provide FCC Antenna Structure Registration Number: **1046014**
- 2C. If purpose code is **MD** or **NT**, provide date constructed or Last altered (mmddyyyy): **12/11/1967**
- 2D. If purpose code is **DI**, give date of dismantlement (mmddyyyy):

Antenna Structure Ownership Information

- 3) Owner/Assignee FCC Registration Number (FRN): **0004266839**
- 4) Assignor FCC Registration Number (FRN): **null**
- 5) Legal Owner of Structure/Assignee First Name (if individual): Middle Initial: Last Name: Suffix:
- 6) Business Name (if other than Individual): **Bloomberg Communications Inc.**
- 7) Attention To: **Karl Kilb**
- 8) P. O. Box: And/Or 9) Street Address: **731 Lexington Avenue**
- 10) City: **New York** 11) State: **NY** 12) ZIP Code: **10022**
- 13) Telephone Number: **(212)318-2000** 14) E-Mail Address: **kkilb@bloomberg.net**

Contact Representative Information (If the Owner/Assignee is a business or contact representative is different from the Owner/Assignee)

- 15) First Name: MI: Last Name: Suffix:
- 16) Business Name:
- 17) P O Box: And/Or 18) Street Address
- 19) City: 20) State: 21) Zip Code:
- 22) Telephone Number: 23) E-Mail Address:

Antenna Structure

- 24) NAD83 Antenna Structure Latitude (DD-MM-SS.S): **40-48-40.0 (N)N or S** 25) NAD83 Antenna Structure Longitude (DDD-MM-SS.S): **74-2-20.0 (W)N or S**
- 26) Address or Geographical Location: **TWR 4 - ONE METRO ROAD, 1.8 MI E OF JUNCTION OF ROUTES 3 & 120**
- 27) City: **CARLSTADT** 28) State: **NJ**

- 29) Elevation of site above mean sea level (refer to "a" in antenna structure examples): **1.9 meters**
- 30) Overall (highest) height above ground (AGL) of an antenna structure INCLUDING all appurtenances (antennas, dishes, lightning rods, obstruction lighting, etc.) (refer to "c" in antenna structure examples): **77.7 meters**
- 31) Overall height above mean sea level (sum total of items 29 and 30): **79.6 meters**
- 32) Overall height above ground level (AGL) of the supporting structure itself WITHOUT appurtenances (refer to "b" in antenna structure examples): **76.8 meters**
-
- 33) Indicate the code for the type of structure on which antenna will be mounted (i.e., pole, building, water tank, silo, tower, etc.) (See Instructions): **4TA4**
- 34-35) If type of structure is an Array, provide coordinates for center of the array below:
- 34) NAD83 Array Center Latitude (DD-MM-SS.S): **40-48-39.0 (N)N or S**
- 35) NAD83 Array Center Longitude (DDD-MM SS S): **74-2-24.0 (W)N or S**

FAA Notification

- 36) FAA Study Number: **89-AEA-0555-OE4**
- 37) Date Issued (mmddyyyy): **01/23/1989**

Environmental Assessment

- 38) (N) Yes No
 Would a Commission grant of Authorization for this location be an action which may have significant environmental effect? See Section 1.1307 of 47 CFR. If 'YES', submit an environmental assessment as required by 47 CFR, Sections 1.1308 and 1.1311.

Certification Statements

- 1) The applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.
- 2) The applicant certifies that neither the applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. See Section 1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of 'party to the application' as used in this certification.

Signature

- 39) Typed or Printed Name of Party Authorized to Sign

First Name: **Richard** MI: **K** Last Name: **DeScherer** Suffix:

40) Title: **Director**

41) Signature: **Richard K DeScherer** 42) Date (mmddyyyy): **04/22/2008**

WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, Section 1001) AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. Code, Title 47, § 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, § 503).