## REFERENCE COPY

This is not an official FCC authorization. It is a record of public information contained in the FCC's Antenna Structure Registration database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC authorization, this document may not be used in place of an official FCC authorization.

United States of America Federal Communications Commission

Antenna Structure Registration

Owner: WTWC Licensee, LLC

FCC Registration Number (FRN): 0004970901

WTWC Licensee, LLC Attention To: Kathryn R. Schmeltzer	Registration Number: 1019324					
2300 N Street, NW P.O. Box Shaw Pittman LLP Washington, DC 20037-1128	Issue Date: 03/17/2005					
Location of Antenna Structure:	Ground Elevation (AMSL): 69.5 meters					
8440 DEERLAKE ROAD TALLAHASSEE, FL	Overall Height Above Ground (AGL): 250.2 meters					
Latitude: 30-35-13.0 N Longitude: 084-14-11.0 W NAD83	Overall Height Above Mean Sea Level (AMSL): 319.7 meters					
Painting and Lighting Requirements: FCC Paragraphs 1, 3, 7, 16, 21						
Special Conditions:						

This registration is effective upon completion of the described antenna structure and notification to the Commission. YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR DISMANTLEMENT OF YOUR ANTENNA STRUCTURE, please file FCC Form 854. To file electronically, connect to the Antenna Structure Registration system by pointing your web browser to <a href="http://wireless.fcc.gov/antenna/">http://wireless.fcc.gov/antenna/</a>. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "DI" for notification of antenna structure dismantlement.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

Posting the Registration Number: The Antenna Structure Registration Number must be displayed in a
conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to display the
Registration Number must be weather-resistant and of sufficient size to be easily seen at the base of the antenna

structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)(h).

- Inspecting lights and equipment: The obstruction lighting must be observed at least every 24 hours in order to
  detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be inspected at
  least once every three months.
- Reporting outages and malfunctions: When any top steady-burning light or a flashing light (in any position)
  burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected
  within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log
  of these outages and malfunctions.
- Maintaining assigned painting: The antenna must be repainted as often as necessary to maintain good visibility.
- Complying with environmental rules: If you certified that grant of this registration would not have a significant
  environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation
  supporting this certification and compliance with the rules, in the event that such information is requested by the
  Commission pursuant to 47 C.F.R. 1.1307(d).
- Updating information: The owner must immediately notify the FCC of proposed modifications to this structure or change in ownership information. File FCC Form 854 with purpose of "MD" for modification of registered antenna structure or "OC" for ownership change.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R. Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the Internet at <a href="http://wireless.fcc.gov/antenna/">http://wireless.fcc.gov/antenna/</a> or call (877) 480-3201 (TTY 717-338-2824).

Registration Number: 1019324

Issue Date: 01/26/1984

FCC 854R

# Obstruction Marking and Lighting Specifications for Antenna Structures

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

- 1. Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 30.48 meters (100 feet) nor less than .46 meters (1 1/2 feet) in width. All towers shall be cleaned or repainted as often as necessary to maintain good visibility.
- 3. There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.
- 7. On levels at approximately four-sevenths and two-sevenths of the overall height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of this beacon from aircraft at any normal angle of approach. In the event these beacons cannot be installed in a manner to insure unobstructed visibility of the beacons from aircraft at any normal angle of approach, there

shall be installed two such beacons at each level. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

- 16. On levels at approximately six-sevenths, five-sevenths, three-sevenths and one-seventh of the overall height of the tower, at least two 116- or or 125-watt lamps (A21/TS) enclosed in an aviation red obstruction light globes shall be installed on each outside corner of the structure.
- 21. All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

CLOSE WINDOW

#### REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Conditions:

# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION ANTENNA STRUCTURE REGISTRATION



OWNER: AMERICAN TOWERS, INC.

ATTN: COMPLIANCE DEPT. AMERICAN TOWERS, INC. 1898 LELAND DRIVE, SUITE A MARIETTA, GA 30067	Antenna Structure Registration Number	1227719
	Issue Date	08-14-2009
Location of Antenna Structure 759 Friendship Church Road (#303255)	Ground Elevation (AMSL)	47.2 meters
Thomasville, GA	Overall Height Above Gro	und (AGL) 608.7 meters
Latitude Longitude 30-40-50,3 N 083-58-20.6 W NAD	Overall Height Above Mea	n Sea Level (AMSL) 655.9 meters
Painting and Lighting Requirements: FCC Paragraphs B, G, H, 3, 10.2, 19.2, 21, 23		

This registration is effective upon completion of the described antenna structure and notification to the Commission. YOU MUST NOTIFY THE COMMISSION WITHIN 24 HOURS OF COMPLETION OF CONSTRUCTION OR CANCELLATION OF YOUR PROJECT, please file FCC Form 854. To file electronically, connect to the antenna structure registration system by pointing your web browser to http://wireless.fcc.gov/antenna. Electronic filing is recommended. You may also file manually by submitting a paper copy of FCC Form 854. Use purpose code "NT" for notification of completion of construction; use purpose code "CA" to cancel your registration.

The Antenna Structure Registration is not an authorization to construct radio facilities or transmit radio signals. It is necessary that all radio equipment on this structure be covered by a valid FCC license or construction permit.

You must immediately provide a copy of this Registration to all tenant licensees and permittees sited on the structure described on this Registration (although not required, you may want to use Certified Mail to obtain proof of receipt), and display your Registration Number at the site. See reverse for important information about the Commission's Antenna Structure Registration rules.

You must comply with all applicable FCC obstruction marking and lighting requirements, as set forth in Part 17 of the Commission's Rules (47 C.F.R. Part 17). These rules include, but are not limited to:

- Posting the Registration Number: The Antenna Structure Registration Number must be displayed in a
  conspicuous place so that it is readily visible near the base of the antenna structure. Materials used to
  display the Registration Number must be weather-resistant and of sufficient size to be easily seen at the
  base of the antenna structure. Exceptions exist for certain historic structures. See 47 C.F.R. 17.4(g)-(h).
- Inspecting lights and equipment: The obstruction lighting must be observed at least every 24 hours in order
  to detect any outages or malfunctions. Lighting equipment, indicators, and associated devices must be
  inspected at least once every three months.
- Reporting outages and mulfunctions: When any top steady-burning light or a flashing light (in any position) burns out or malfunctions, the outage must be reported to the nearest FAA Flight Service Station, unless corrected within 30 minutes. The FAA must again be notified when the light is restored. The owner must also maintain a log of these outages and malfunctions.
- Maintaining assigned painting: The antenna structure must be repainted as often as necessary to maintain good visibility.
- Complying with environmental rules: If you certified that grant of this registration would not have a significant environmental impact, you must nevertheless maintain all pertinent records and be ready to provide documentation supporting this certification and compliance with the rules, in the event that such information is requested by the Commission pursuant to 47 C.F.R. 1.1307(d).
- Updating information: The owner must notify the FCC of proposed modifications to this structure; of any change in ownership; or, within 30 days of dismantlement of the structure.

Copies of the Code of Federal Regulations (which contain the FCC's antenna structure registration rules, 47 C.F.R Part 17) are available from the Government Printing Office (GPO). To purchase CFR volumes, call (202) 512-1800. For GPO Customer Service, call (202) 512-1803. For additional FCC information, consult the Antenna Homepage on the internet at http://wireless.fcc.gov/antenna or call (877) 480-3201 (TTY 717-338-2824).

50

Registration #: 1227719 Issue Date: 08-14-2009

OBSTRUCTION MARKING AND LIGHTING SPECIFICATIONS FOR ANTENNA STRUCTURES

It is to be expressly understood that the issuance of the below specifications is in no way to be considered as precluding additional or modified markings or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

- B There shall be installed at the top of the skeletal or other main support structure three or more high intensity light units which conform to FAA/DOD Specification L-856, High Intensity Obstruction Lighting Systems. The complement of units shall emit a white high intensity light and produce an effective intensity of not less than 200,000 candelas (daytime) uniformly about the antenna structure in the horizontal plane. The effective intensity shall be reduced to approximately 20,000 candelas at twilight, and to approximately 2,000 candelas at night. The light units shall be mounted in a manner to insure unobstructed viewing from aircraft at any normal angle of approach, so that the effective intensity of the full beam is not impaired by any structural member of the skeletal framework. The units will normally be adjusted so that the center of the beam is in the horizontal plane.
- G At the approximate one-sixth, one-third, one-half, two-thirds and five-sixths levels of the skeletal tower there shall be installed three or more high intensity light units which conform to FAA/DOD Specification L-856, High Intensity Obstruction Lighting Systems. The complement of units shall emit a white high intensity light and produce an effective intensity of not less than 200,000 candelas (daytime) uniformly about the antenna structure in the horizontal plane. The effective intensity shall be reduced to approximately 20,000 candelas at twilight, and to approximately 2,000 candelas at night. The light units shall be mounted in a manner to insure unobstructed viewing from aircraft at any normal angle of approach, so that the effective intensity of the full beam is not impaired by any structural member of the skeletal framework. The normal angular adjustment of the beam centers above the horizontal shall be three degrees (3°) at the one-sixth level, two degrees (2°) at the one-third level, two degrees (2°) at the one-half level, one degree (1°) at the two-thirds level and zero degrees (0°) at the five-sixths level.
- H All high and medium intensity lights shall be synchronized to flash simultaneously at 40 pulses per minute. The light system shall be equipped with a light sensitive control device which shall face the north sky and cause the intensity steps to change automatically when the north sky illumination on a vertical surface is as follows: 1. Day to Twilight: Shall not occur before the illumination drops to 60 footcandles, but shall occur before it drops below 30 footcandles. 2. Twilight to Night: Shall not occur before the illumination drops to 5 footcandles, but shall occur before it drops to 2 footcandles. 3. Night to Day: The intensity changes listed in 1. and 2. above shall be reversed in transitioning from the night to day modes.
- There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 6.10 meters (20 feet) in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.
- 10.2 On levels at approximately five-sixths, two-thirds, one-half, one-third and one-sixth of the overall height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of this beacon from aircraft at any normal angle of approach. In the event these beacons cannot be installed in a manner to insure unobstructed visibility of the beacons from aircraft at any normal angle of approach, there shall be installed two such beacons at each level. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.
- 19.2 On levels at approximately eleven-twelfths, three-fourths, seven-twelfths, five-twelfths, one-fourth and one-twelfth of the overall height of the tower, at least two 116- or 125-watt lamps (A21/TS) enclosed in an aviation red obstruction light globes shall be installed on each outside corner of structure.

- 21 All lights shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.
- 23 Dual Lighting. Use aviation red obstruction lights for nighttime and high or medium intensity flashing white obstruction lights for daytime and twilight as prescribed above.

Federal Communications Commission 1270 Fairfield Rd Gettysburg, PA 17325

March 5, 2008

Dear Licensee:

The FCC has determined that authorizations in the Microwave Radio Service Group, on and after September 22, 2007, were issued without showing Mobile Area of Operations data.

Your authorization has been identified as issued with the above mentioned error, therefore, the authorization(s) enclosed replaces your previously received authorization for the same call sign(s).

NOTE: Your license record in ULS is correct and this issue involved the printed authorization only. You may view your license record at http://wireless.fcc.gov/uls/ for verification.



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW WASHINGTON, DC 20037-1128

	l Sign 55264
	Number 288966
	Service V Pickup
SMSA	Station Class MO

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date
- 1000 77000 - 271,000 2	02-20-2008	02-01-2013	03-05-2008
04-11-1984	02-20-2006	02.01.0010	

#### LOCATION

Fixed Location Address or Area of Operation:

Circular Area Of Operation Defined By Radius 32.2 KM Around Coordinates

30-35-12.7 N, 084-14-10.6 W

City: TALLAHASSEE

County: LEON

State: FL

Loc No.	Locatio	n Name	Latitu 30-35	ide -12.7 N			ngitud		J	Elevation	1	2-0-0-0		Structure on No.
				FRI	EQUEN	CY	PATH	S						
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector )xWd(m)		AZIM (deg)	Rec Loc No	Rec Call Sign
1990.0- 2008.0		18M0F9W 17M0F9W	70,300		001	1	001			5.0	S		001	

Frequency Special Condition:

This authorization permits operation under more than one set of parameters during the transition of 2 GHz Broadcast Auxiliary stations from their current channel plan, to a new plan consisting of 12 MHz channels. At the end of the transition, the licensee must file a certification of completion of construction (Form 601) indicating that they have completed the transition to the new plan. At that time all components on this license authorizing operation under the old plan or any transitional plan will beremoved from the license and operation under those plans must cease.

and from a construction of the construction of	Action Designed actions and actions and actions and actions and actions are actions and actions and actions are actions and actions are actions and actions are actions as a second action					1,42,000,00
2008.0-	18M0F9W	70.300	002 1 001	5.0	S	- 001
2025.0	17M0F9W					

Conditions:

Licensee Name: WTWC LICENSEE, LLC

Call Sign: KB55264

File Number: 0003288966

Print Date: 03-05-2008

Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)		Beam (deg) ector exWd(m)	POL	AZIM (deg)	Rec Loc No	Rec Call Sign
2025.5- 2037.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2037.5- 2049.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY		
2049.5- 2061.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	100	
2061.5- 2073.5	0.00050	12M0F8W 12M0W7D	65,000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY		
2073.5- 2085.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2085.5- 2097.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	100	6.1	20.0	18.0	S	VARY	001	
2097.5- 2109.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	U	001	6.1	20.0	18.0	S	VARY	001	

Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW WASHINGTON, DC 20037-1128

	II Sign 355264
	Number
	Service V Pickup
SMSA	Station Class MO

Elevation

Antenna Structure

Registration No.

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	<b>Print Date</b>
04-11-1984	04-11-1984	02-01-2013	01-23-2008

#### LOCATION

Longitude

Fixed Location Address or Area of Operation:

Location Name

City: TALLAHASSEE

Loc No

County: LEON

Latitude

State: FL

001	Locatio	ni ivanie	30-35	-12.7 N			-14-10					:-3:55: <b>!!</b>		
				FRI	EQUEN	CY I	PATH	S						
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector xWd(m)	POL	AZIM (deg)	Rec Loc No	Rec Call Sign
1990.0- 2008.0		18M0F9W 17M0F9W	70.300		001	1	001			5.0	S		001	
2008.0- 2025.0		18M0F9W 17M0F9W	70.300		002	1	001			5.0	S		001	
2025.0- 2042.0		18M0F9W 17M0F9W	70.300		003	1	001			5.0	S		001	
2042.0- 2059.0		18M0F9W 17M0F9W	70.300		004	1	001			5.0	S		100	
2059.0- 2076.0		18M0F9W 17M0F9W	70.300		005	1	001			5.0	S		001	
2059.0- 2076.0		18M0F9W 17M0F8W	70.300		006	1	001			5.0	S		001	

#### Conditions:



Wireless Telecommunications Bureau

## RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

ATTN: STEVE SHERIDAN SINCLAIR BROADCASTING GROUP (WTWC-TV) 8440 DEER LAKE RD TALAHASSEE, FL 32312

	l Sign
WQ	GD979
File !	Number
	Service ntercity Relay
SMSA	Station Class FXO

Elevation

Antenna Structure Registration No.

FCC Registration Number (FRN): 0004970901

Grant Dat	p	Effective Date	Expiration Date	Print Date
Grant Da	·C			01-23-2008
12-19-200	6	01-11-2007	02-01-2013	()1-23-2006

#### LOCATION

Fixed Location Address or Area of Operation:

759 Friendship Church Road

City: Thomasville

County: THOMAS

State: GA

Loc No. 001 002		Name TV XMTR TV STUD		-50.3 N -13.0 N		083	-58-2( -14-1	).6 W	4	6.3	•	1227		
				FREC	QUEN	CY I	PATH	S						
requency MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector (xWd(m)		AZIM (deg)	Rec Loc No	Rec Call Sign
7062.5	0.00050	25M0F8W	69.000	06-19-2008	001	1	001	54.9	41.3	1.3	Н	247.7	002	

Longitudo

#### Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

#### Conditions:



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW WASHINGTON, DC 20037-1128

	II Sign GD978
File	Number
	o Service o Transmitter Link
SMSA	Station Class FXO

Antenna Structure

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date
Grant Date	PROFESSION STATES AND ADDRESS.	02.01.2012	01-23-2008
12-19-2006	12-19-2006	02-01-2013	01-23-2008

#### LOCATION

Fixed Location Address or Area of Operation:

8440 DEERLAKE ROAD

City: TALLAHASSEE

County: LEON

State: FL

Loc No. 001 002	Location WTWC-T			ide -13.0 N -50.3 N		084	ngitud  -14-1  -58-20	1.0 W	6	Elevation 59.5 46.3	1	Regi 1019		on No.
				FREC	QUEN	CY I	PATH	S						
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) lector )xWd(m)		AZIM (deg)	Rec Loc No	Rec Call Sign
6062.5	0.00050	25M0F9W	58.900	06-19-2008	001	1	001	67.1	41.3	1.3	Н	67.6	002	

### Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

#### Conditions:



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

ATTN: STEVE SHERIDAN SINCLAIR BROADCASTING GROUP (WTWC-TV) 8440 DEER LAKE RD TALAHASSEE, FL 32312

	ll Sign GD978
File	Number
CONTRACTOR OF THE PARTY OF THE	o Service o Transmitter Link
SMSA	Station Class FXO

Antenna Structure

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date
12-19-2006	12-19-2006	02-01-2013	01-23-2008

#### LOCATION

Fixed Location Address or Area of Operation:

8440 DEERLAKE ROAD

City: TALLAHASSEE

County: LEON

State: FL

Loc No. 001 002		Name TV STUD TV XMTR		1de -13.0 N -50.3 N		084	ngitud -14-1 -58-20	1.0 W	6	Elevation 19.5 16.3	n	1019		on No.
				FREC	QUEN	CY	PATH	S						
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector (xWd(m)		AZIM (deg)	Rec Loc No	Rec Call Sign
6962.5	0.00050	25M0F9W	58.900	06-19-2008	001	1	001	67.1	41.3	1.3	H	67.6	002	

#### Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

#### Conditions:



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW WASHINGTON, DC 20037-1128

	dl Sign OGD979
	Number
	o Service ntercity Relay
SMSA	Station Class FXO

Antenna Structure

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date	
12-19-2006	01-11-2007	02-01-2013	01-23-2008	

#### LOCATION

#### Fixed Location Address or Area of Operation:

759 Friendship Church Road

City: Thomasville

County: THOMAS

State: GA

Loc No. 001 002		Name TV XMTR TV STUD		-50.3 N -13.0 N		083	ngitud 3-58-20 1-14-1	).6 W	4	Elevatio 16.3 59.5	n	Regi 1227		ion No.
				FREC	QUEN	CY	PATH	S						
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector (xWd(m)		AZIM (deg)	Rec Loc No	Rec Call Sign
7062.5	0.00050	25M0F8W	69.000	06-19-2008	001	1	001	54.9	41.3	1.3	H	247.7	002	

#### Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

The license term is concurrent with the parent station licensed with FAC ID 66908

#### Conditions:



Wireless Telecommunications Bureau 1270 Fairfield Road Gettysburg, PA 17325-7245

#### NOTICE OF RETURN

WTWC-TV 8440 DEER LAKE RD, SOUTH TALLAHASSEE, FL 32312 Date: 02/15/2008 Reference No.: 4710401 File No.: 0003288966

Radio Service: TP Call Sign: KB55264

Market Area:

FAC#:

Re: WTWC LICENSEE, LLC

Your application is in a return status for the reason(s) indicated below. You must file an Amendment to your application referenced above using FCC Form 601, 602, 603, 605 or 608, as appropriate, to provide the requested information before the FCC will resume processing your application. Amending your application without making all the necessary changes and/or providing the requested information may result in dismissal of your application pursuant to Section 1.934 for failure to prosecute. If you do not file an Amendment to your application within 60 days of the date at the top of this letter, your application will be Dismissed. If a fee is submitted with the amendment, refer to the Fee Filing Guide for the proper mailing address in St. Louis, MO. Please note: This return notice may be sent to multiple parties to the application such as the applicant, the point of contact, and/or the coordinator. Please coordinate your response to this return notice to ensure that only one amendment to the application is filed. Commercial Radio Operator applicants should return this notice along with the amended FCC Form 605 and any attachments including PPC and photographs in the package when resubmitting.

Certain services are subject to mandatory electronic filing pursuant to Section 1.913. For all other services, you may file your application either electronically or manually, but not both. Electronic filing is recommended for the few radio services where manual filing is permitted. For information on how to file electronically, visit the website at http://wireless.fcc.gov/uls. If you wish to file your application manually, application forms can be obtained from the FCC's website at http://www.fcc.gov/formpage.html, by calling the FCC's Forms Distribution Center 800-418-FORM (800-418-3676), or from FCC's Fax Information System by dialing (202) 418-0177. Amendments submitted manually should be mailed to Federal Communications Commission, 1270 Fairfield Road, Gettysburg, PA 17325-7245.

Overnight courier and hand delivered amendments should be sent to Federal Communications Commission, 1280 Fairfield Road, Gettysburg, PA 17325. For additional assistance, you may visit the website at http://esupport.fcc.gov. You may also call the FCC at (877) 480-3201 (TTY 717-338-2824). To provide quality service and ensure security, all telephone calls are recorded.

EIRP for TV pickup mobile stations is limited to 65 in accordance with FCC Rule 74.636. Please amend EIRP for all frequency bands on Path 9 accordingly.



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC
PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW
WASHINGTON, DC 20037-1128

	II Sign 355264
File	Number
	Service V Pickup
SMSA	Station Class MO

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date
04-11-1984	02-20-2008	02-01-2013	07-22-2009

#### LOCATION

#### Fixed Location Address or Area of Operation:

Circular Area Of Operation Defined By Radius 32.2 KM Around Coordinates

30-35-12.7 N, 084-14-10.6 W

City: TALLAHASSEE

County: LEON

State: FL

Loc No. 001	Location	Name	Latitu 30-35	ide -12.7 N		Longitude 084-14-10.6 W			Elevation			Antenna Structure Registration No.		
	FREQUENCY PATHS													
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	Gain Beam (dBi) (deg) Reflector Ht(m)xWd(m)		POL	AZIM (deg)	Rec Loc No	Rec Call Sign
2025.5- 2037.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	0.81	S	VARY	001	
2037.5- 2049.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2049.5- 2061.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	0.81	S	VARY	001	
2061.5- 2073.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2073.5- 2085.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	100	6.1	20.0	18.0	S	VARY	001	

#### Conditions:



Wireless Telecommunications Bureau

#### RADIO STATION AUTHORIZATION

LICENSEE: WTWC LICENSEE, LLC

WTWC LICENSEE, LLC PWSP LLP ATTN K SCHMELTZER 2300 N STREET, NW WASHINGTON, DC 20037-1128

	II Sign 355264
233	Number
	3288966
	o Service V Pickup
SMSA	Station Class

Amtonno Stanotamo

001

FCC Registration Number (FRN): 0004970901

Grant Date	Effective Date	Expiration Date	Print Date
04-11-1984	02-20-2008	02-01-2013	02-21-2008

#### LOCATION

Fixed Location Address or Area of Operation:

City: TALLAHASSEE

County: LEON

State: FL

Loc No. 001	Locati	on Name	Latitude 30-35-12.7 N			Longitude 084-14-10.6 W				Elevation			Registration No.			
				FRI	EQUEN	CY	PATH	S								
Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	(dBi) Refl	Beam (deg) ector )xWd(m)	POL	AZIM (deg)		Rec Call Sign		
1990.0- 2008.0		18M0F9W 17M0F9W	70.300		001	1	001			5.0	S		001			

Frequency Special Condition:

This authorization permits operation under more than one set of parameters during the transition of 2 GHz Broadcast Auxiliary stations from their current channel plan, to a new plan consisting of 12 MHz channels. At the end of the transition, the licensee must file a certification of completion of construction (Form 601) indicating that they have completed the transition to the new plan. At that time all components on this license authorizing operation under the old plan or any transitional plan will be removed from the license and operation under those plans must cease.

002 1 001

2008.0- 18M0F9W

2025.0 17M0F9W

Frequency Special Condition:

This authorization permits operation under more than one set of parameters during the transition of 2 GHz Broadcast Auxiliary stations from their current channel plan, to a new plan consisting of 12 MHz channels. At the end of the transition, the licensee must file a certification of completion of construction (Form 601) indicating that they have completed the transition to the new plan. At that

70.300

#### Conditions:

Licensee Name: WTWC LICENSEE, LLC

Call Sign: KB55264 File Number: 0003288966 Print Date: 02-21-2008

Frequency (MHz)	Tol (%)	Emission Desig	EIRP (dBm)	Constr Date	Path No	Seg	Emit Loc No	Ant Hgt (m)	Refl	Beam (deg) ector )xWd(m)	POL	AZIM (deg)	Rec Loc No	Rec Call Sign
2037.5- 2049.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2049.5- 2061.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	Ī	001	6.1	20.0	18.0	S	VARY	001	
2061.5- 2073.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2073.5- 2085.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	Ţ	001	6.1	20.0	18.0	S	VARY	001	
2085.5- 2097.5	0.00050	12M0F8W 12M0W7D	65.000	08-20-2009	009	1	001	6.1	20.0	18.0	S	VARY	001	
2097.5- 2109.5	0.00050	12M0F8W 12M0W7D	65,000	08-20-2009	009	Ī	001	6.1	20.0	18.0	S	VARY	001	

#### Waivers/Conditions:

The Facility ID of the Associated Broadcast Parent Station for this license is 66908.