



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

GOOD KARMA BROADCASTING, LLC
 100 STODDARD STREET
 BEAVER DAM WI 53916

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 35148

Call Sign: WFL

License File Number: BL-20040915AER

Grant Date: December 23, 2004

This license expires 3:00 a.m.
 local time, February 01, 2012.

This authorization supersedes authorization of same date to remove condition #3 ("ITU"). 11/30/05-EAL

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:45 PM	Jul.	5:30 AM	7:15 PM
Feb.	7:00 AM	6:15 PM	Aug.	5:45 AM	7:00 PM
Mar.	6:30 AM	6:30 PM	Sep.	6:00 AM	6:30 PM
Apr.	6:00 AM	6:45 PM	Oct.	6:15 AM	6:00 PM
May	5:30 AM	7:00 PM	Nov.	6:45 AM	5:30 PM
Jun.	5:30 AM	7:15 PM	Dec.	7:00 AM	5:30 PM

Name of Licensee: GOOD KARMA BROADCASTING, LLC

Station Location: TEQUESTA, FL

Frequency (kHz): 760

Station Class: B

Antenna Coordinates:

Day

Latitude: N 26 Deg 59 Min 43 Sec

Longitude: W 80 Deg 11 Min 34 Sec

Night

Latitude: N 26 Deg 59 Min 43 Sec

Longitude: W 80 Deg 11 Min 34 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 3.0 Night: 1.5

Antenna Input Power (kW): Day: 3.00 Night: 1.62

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 8.05 Night: 5.69

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1210607	
2	1210609	
4	1210608	

Night:

Tower No.	ASRN	Overall Height (m)
1	1210607	
2	1210609	
3	1210610	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 512.9 Night: 356.6

Standard RMS (mV/m/km): Day: 538.8 Night: 374.8

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	70.0
2	1.1490	-106.900	60.0000	125.000	0	60.0
4	0.9930	-134.000	160.0000	80.000	0	70.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	70.0
2	1.5810	-138.300	60.0000	125.000	0	60.0
3	0.6400	86.400	120.0000	125.000	0	60.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-44	0.85
2	18	1.6
4	0	1

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-38	0.353
2	0	1
3	-136.9	0.408

Antenna Monitor: POTOMAC INSTRUMENTS 1901

Sampling System Approved Under Section 73.68 of the Rules.

Monitoring Points:

Day Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
215.5	7.23	10.37

Night Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
2.5	5.38	2
247.5	10.2	2.8

Special operating conditions or restrictions:

1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

2 Location of Monitor Points:

Direction of 2.5° true North. Leave the WEFL transmitter and proceed North on the farm road 4.4 miles (7.08km) to Bridge Road (SR708). Turn right and proceed East 2.0 miles (3.22 km) to a dirt road that goes north from Bridge Road. The Monitor Point is located on the dirt road, 30 feet North of Bridge Road.

Direction of 247.5° true North. Leave the WEFL transmitter and proceed North on the farm road 4.4 miles (7.08 km) to Bridge Road (SR 708). Turn left and proceed West 3.0 miles (4.83 km) to Pratt-Whitney Road. Turn left and proceed South 7.2 miles (11.59 km) to the Monitor Point. The Monitor Point is located on the West side of Pratt-Whitney Road, by the "247.5" marker post.

Direction of 215.5° true North. Leave the WEFL transmitter and proceed North on the farm road 4.4 miles (7.08 km) to Bridge Road (SR 708). Turn left and proceed West 3.0 miles (4.83 km) to Pratt-Whitney Road. Turn left and proceed South 8.4 miles (13.52 km) to Indiantown Road (SR 706). Turn left and proceed East 3.3 miles (5.31 km) to the Monitor Point. The Monitor Point is located in the median of the road by the marker.

3 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 98.7 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.

*** END OF AUTHORIZATION ***